



VP-ASP Shopping Cart

DESIGN GUIDE

Version 7.00

27 June 2012

<http://www.vpasp.com>

Table of Contents

| | |
|---|-----------|
| 1 VP-ASP DESIGN SUMMARY | 5 |
| 2 HOW TO CUSTOMISE YOUR LAYOUT | 7 |
| 2.1 USING LAYOUT MANAGER | 7 |
| 2.1.1. Header Section..... | 7 |
| 2.1.2. Left Box Section..... | 19 |
| 2.1.3. Body Section | 29 |
| 2.1.4. Right box Section..... | 35 |
| 2.1.5. Footer Section | 35 |
| 2.2 CODE SNIPPETS / TAGS TO CUSTOMIZE YOUR SITE | 40 |
| 2.2.1. Display Minicart with Styled Format Somewhere in Your Site | 40 |
| 2.2.2. Display Categories with Styled Format Somewhere in Your Site..... | 41 |
| 2.2.3. Display LanguagesSelection Somewhere in Your Site..... | 42 |
| 2.2.4. Display Currencies Selection Somewhere in Your Site | 42 |
| 2.2.5. Display Featured Products Somewhere in Your Site | 43 |
| 2.2.6. Display Top Seller Products Somewhere in Your Site..... | 44 |
| 2.2.7. Display Content Category Name and Related Links Somewhere in Your Site..... | 45 |
| 2.2.8. Display News List Somewhere in Your Site | 46 |
| 2.2.9. Display Blog List Somewhere in Your Site..... | 46 |
| 2.2.10. Display New Products Somewhere in Your Site | 47 |
| 2.2.11. Display Random Products Box Somewhere in Your Site | 47 |
| 2.2.12. Display Login / Logout Status With Link Somewhere in Your Site..... | 48 |
| 2.2.13. Display Search Form Somewhere in Your Site..... | 49 |
| 2.2.14. Using LoadContainer "<ID>" | 50 |
| 2.2.15. Using LoadContainerByName "ContainerDivName", "ContainerName", "SeqNo" | 50 |
| 2.3 ADVANCED LAYOUT CUSTOMISATION | 51 |
| 2.3.1. Replace VP-ASP Left Column Functionality With Your Own Include File | 51 |
| 2.3.2. Replace VP-ASP Right Column Functionality With Your Own Include File | 52 |
| 2.3.3. Modify The Header Logo Container Manually..... | 52 |
| 2.3.4. Modify The Header Top Right Container Manually | 53 |
| 2.3.5. Modify The Header Navigation Menu Container Manually | 54 |
| 2.3.6. Modify The Header Sub Container | 54 |
| 2.3.7. Modify The Footer Manually..... | 55 |
| 2.4 CSS CUSTOMISATION | 55 |
| 2.4.1. Change CSS for the Background of the Site..... | 56 |
| 2.4.2. Change CSS for the Site Width..... | 56 |
| 2.4.3. Change CSS for the Logo | 57 |
| 2.4.4. Change CSS for the Header Top Right Container | 58 |
| 2.4.5. Change CSS for the Header Navigation Menu | 61 |
| 2.4.6. Change CSS for the Left Column | 62 |
| 2.4.7. Change CSS for the Main Content | 70 |
| 2.4.8. Change CSS for the Right Column..... | 77 |
| 2.4.9. Change CSS for the Footer..... | 78 |
| 3. CHANGING THE HOME PAGE WELCOME BOX | 81 |
| 4. CHANGING THE PRODUCT FORMATTING | 83 |
| 5. CHANGING THE CATEGORY FORMATTING | 85 |
| 6. CHANGING THE FORMAT OF STATIC HTML GENERATED FILES..... | 86 |
| 7. CHANGING THE LOOK OF SHOPADDTOCART.ASP PAGE | 87 |
| 7.1 MODIFY THE LOOK OF CHECKOUT STEP INDICATOR | 87 |
| 7.2 MODIFY THE LOOK OF VIEW CART TITLE..... | 88 |

| | | |
|--|---|-----|
| 7.3 | MODIFY THE LOOK OF VIEW CART CONTENT | 88 |
| 8. CHANGING THE LOOK OF SHOPCUSTOMER.ASP PAGE | 94 | |
| 8.1 | MODIFY THE LOOK OF CHECKOUT STEP INDICATOR | 94 |
| 8.2 | MODIFY THE LOOK OF CUSTOMER INFORMATION TITLE | 95 |
| 8.3 | MODIFY THE LOOK OF CUSTOMER INFORMATION CONTENT | 96 |
| 9. CHANGING THE LOOK OF SHOPCREATEORDER.ASP PAGE..... | 104 | |
| 9.1 | MODIFY THE LOOK OF CHECKOUT STEP INDICATOR | 104 |
| 9.2 | MODIFY THE LOOK OF ORDER DETAILS TITLE | 105 |
| 9.3 | MODIFY THE LOOK OF ORDER DETAILS CONTENT | 106 |
| 10. CHANGING THE LOOK OF SHOPCHECKOUT.ASP PAGE..... | 112 | |
| 10.1 | MODIFY THE LOOK OF CHECKOUT STEP INDICATOR | 112 |
| 10.2 | MODIFY THE LOOK OF PAYMENT INFORMATION TITLE | 113 |
| 10.3 | MODIFY THE LOOK OF CREDIT CARD PAYMENT AND OTHER PAYMENT TYPE HEADER | 114 |
| 10.4 | MODIFY THE LOOK OF CREDIT CARD PAYMENT AND OTHER PAYMENT TYPE CONTENT | 115 |
| 10.5 | MODIFY THE LOOK OF CONTINUE AND CANCEL ORDER BUTTONS..... | 116 |
| 10.6 | MODIFY THE LOOK OF THE BOTTOM WARNING TEXT | 117 |
| 11. CHANGING THE LOOK OF SHOPTHANKS.ASP PAGE..... | 120 | |
| 11.1 | MODIFY THE LOOK OF CHECKOUT STEP INDICATOR | 120 |
| 11.2 | MODIFY THE LOOK OF THANK YOU TEXT IN THE TOP..... | 121 |
| 11.3 | MODIFY THE LOOK OF ORDER NUMBER TEXT IN THE TOP | 122 |
| 11.4 | MODIFY THE LOOK OF ORDER DETAILS | 122 |
| 11.5 | MODIFY THE LOOK OF THE BOTTOM MERCHANT INFORMATION | 125 |
| 12. HOW TO CREATE A UNIQUE HOME/LANDING PAGE FOR YOUR STORE | 126 | |

1 VP-ASP DESIGN SUMMARY

VPASP 7.0 is built using a combination of CSS and HTML templates. As a result you have a great deal of flexibility in how you approach the design of your new online store.

You can integrate VPASP into an existing design by changing the 2 main control files: shoppage_header.htm and shoppage_trailer.htm or you can create a completely fresh and exciting new look using our templates as a base to get started.

The majority of the formatting for the site is handled via CSS in the “**layout.css**” file which you can find in the “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” folder (if using 3 columns).

With the new VP-ASP 7.0 you can change your layout to a 3 column design very easily by just tweaking the code in the trailer file. You can then add as many containers as you like through the admin to the new column.

This guide is designed to assist you in getting started with altering the look of VP-ASP 7.0 to suit your businesses design requirements.

#header .columns (layout.css)

.logo (layout.css)

ADD YOUR LOGO

#wrap (layout.css)

Welcome, Guest (My Account | View Cart | Login)

Currency American Dollar Languages English

#header .utility-box (layout.css)

#nav (menu.css)

table#horiz_nav (menu.css)

.side-bar (layout.css)

#main (layout.css)

Welcome to my Online Store

Welcome to the VP-ASP Shopping Cart! This is the front page of your new store - you can add and edit your categories and products through the VP-ASP administration. You can also change this text in the Content section of the VP-ASP administration. You can find more information on how to customize your entire store by visiting the Help section of our website at <http://helpnotes.vpasp.com/>.

MINI CART

Your Cart Is Empty

CATEGORIES

- Dining
- Donation
- Kitchen
- Living
- Office

SEARCH

search this site Go Advanced Search

LANGUAGE

English

CURRENCY

Change Currency

American Dollar

FEATURED PRODUCTS

Cordless Electric Kettle

US\$11.99

Details

TOP SELLERS

INFORMATION

- About Us
- Contact us
- News
- Privacy
- Shipping & Returns
- Terms & Conditions

FREE TEXT

This is the free text section

PayPal VISA MasterCard

#footer (layout.css)

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Copyright © 1999-2010 Rocksoft International Pty Ltd. All rights reserved.

Powered by VP-ASP Shopping Cart

[Home](#) | [Products](#) | [Features](#) | [About Us](#) | [Contact us](#) | [Search](#)

2 HOW TO CUSTOMISE YOUR LAYOUT

In VP-ASP 7.00, you can easily customize your layout through the Layout Manager. You do not need to have HTML skill to do this. Your shopping cart homepage layout can be setup and done through the Layout Manager in your VP-ASP administration.

2.1 Using Layout Manager

The layout manager is a new feature in VP-ASP 7.00 that allows administrators to manipulate all the content on the home page in one single place.

The concept behind the layout manager is to provide a great deal of flexibility for administrators to alter the way the home page is displayed.


To start using Layout Manager, you can follow these steps below :

1. In the top menu go to **Website**
2. Select **Layout Manager** from the drop-down



Layout Manager can be grouped into four main section:

2.1.1. Header Section



Header section of the layout manager (see above image) consist of :

2.1.1.1 Header Logo Container

To change the logo in the top left of your store, please follow steps below. Please note that the logo will be changed on every page throughout your store.

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Header Logo Container** and click **Edit**



3. To set up your logo use the form

| | |
|--------------------------|--|
| Enable | <input type="button" value="Yes"/> |
| Title | langyourdomaincom |
| Image | images/Huy_Huy_Supermarket <input type="button" value="Upload image"/> <input type="button" value="View"/> |
| Width | 295 |
| Height | 96 |
| Resize Ori. Image | <input type="button" value="No"/> |

NOTE: Resize image will reduce original image file in your hosting. Your hosting need to support for aspjpe component. If you set to Yes, VP-ASP run the resize once and after resize, the value Yes will be automatically reset to No as default.

Enable: Setting this to **Yes** will display the logo.

Title: Enter the name to be displayed as ALT tag of your logo.

Image: Click “Upload image” to upload a file with your logo. Click “View” to preview your current logo.

Width: Enter your image width.

Height: Enter your image height.

Resize Ori. Image: Setting this to **Yes** will resize your original image and reduce the size of the file based on the width and height specified. Your hosting need to enable Aspjpe component to work with this feature. If you set to **Yes**, VP-ASP run the resize once and after resize, the value **Yes** will be automatically reset to **No** as default.

4. Click **Save Changes** button to update the logo

2.1.1.2 Header Top Right Container

Header Top Right Container enables you to setup the following display:


- Welcome section (e.g. Hi, Guest (My Account | View Cart | Login))
- Minicart section (e.g. Shopping Cart Items: 0 Sub-Total : US\$0.00)
- Form section (e.g. Currency/Language/Search dropdowns)



All are located in the top right of your homepage and each section is displayed in vertical sequence.

To setup the Header Top Right Container box of your store, please follow steps below:

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Header Top Right Container** and click **Edit**



3. To set up Header Top Right Container box use the form :

The configuration form for the Header Top Right Container is shown. It consists of several sections, each with an "Enable" dropdown set to "Yes" and a "Vertical Seq No." input field. The sections are:

- Welcome Section**: Vertical Seq No. 01
- MiniCart Section**: Vertical Seq No. 02
- Form Section**: Vertical Seq No. 03
- Currency**: Vertical Seq No. 01, Label Name: lang currency
- Languages**: Vertical Seq No. 02, Label Name: langadminlanguages
- Search**: Vertical Seq No. 03, Label Name: LangCommonSearch

At the bottom of the form are two buttons: "Save Changes" and "Close".

Enable: Setting this to **Yes** will display the whole parts of the Welcomeboxsquare.

Each of the sub section above will be explained below :


2.1.1.2.1 Welcome Section

In your homepage, the welcome section is located in the top right.



To setup the welcome section of your store, please follow steps below:

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Header Top Right Container** and click **Edit**



3. To set up use the "**Welcome Section**" form :


| Welcome Section | |
|-------------------------|------------------------------------|
| Enable | <input type="button" value="Yes"/> |
| Vertical Seq No. | 01 |

Enable: Setting this to **Yes** will display the welcome section.

Vertical Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03. Default value is 01.


2.1.1.2.2 MiniCart Section

In your homepage, the Minicart section is the one start with e.g. "**Shopping Cart Items: 0 Sub-Total : US\$0.00**" in the top right.



To setup the mini cart section, please follow steps below:

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Header Top Right Container** and click **Edit**



3. To setup use the "**MiniCart Section**" form :


| Minicart Section | |
|-------------------------|------------------------------|
| Enable | <input type="checkbox"/> Yes |
| Vertical Seq No. | <input type="text"/> 02 |

Enable: Setting this to **Yes** will display the minicart section.

Vertical Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03. Default value is 02.


2.1.1.2.3 Form Section

In your homepage, the Form section is the one start with **Currency/Language/Search dropdowns** in the top right.



To setup the form section, please follow steps below:

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Header Top Right Container** and click **Edit**



3. To setup use the “**Form Section**” below :

Form Section

| | |
|---------------------------|---|
| Enable | <input type="button" value="Yes"/> |
| Vertical Seq No. | <input type="text" value="03"/> |
| Currency | |
| Enable | <input type="button" value="Yes"/> |
| Horizontal Seq No. | <input type="text" value="01"/> |
| Label Name | <input type="text" value="langcurrency"/> |
| Languages | |
| Enable | <input type="button" value="Yes"/> |
| Horizontal Seq No. | <input type="text" value="02"/> |
| Label Name | <input type="text" value="langadminlanguages"/> |
| Search | |
| Enable | <input type="button" value="No"/> |
| Horizontal Seq No. | <input type="text" value="03"/> |
| Label Name | <input type="text" value="LangCommonSearch"/> |

Enable: Setting this to **Yes** will display the form section.

Vertical Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03. Default value is 03.

Sub sections for Form detailed below:

2.1.1.2.3.1 Currency Section

Currency

| | |
|---------------------------|------------------------------------|
| Enable | <input type="button" value="Yes"/> |
| Horizontal Seq No. | <input type="text" value="01"/> |

Enable: Setting this to **Yes** will display the currency section.

Horizontal Seq No.: This is the horizontal sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03. Default value is 01.

2.1.1.2.3.2 Languages Section

Languages

| | |
|---------------------------|------------------------------------|
| Enable | <input type="button" value="Yes"/> |
| Horizontal Seq No. | <input type="text" value="02"/> |

Enable: Setting this to **Yes** will display the language section.

Horizontal Seq No.: This is the horizontal sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03.

Default value is 02.

2.1.1.2.3.3 Search Section



The screenshot shows a configuration form with two fields: 'Enable' (set to 'Yes') and 'Horizontal Seq No.' (set to '03').

Enable: Setting this to **Yes** will display the search section.

Horizontal Seq No.: This is the horizontal sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03. Default value is 03.

2.1.1.3 Header Navigation Menu Container

This menu will be the shortcut to access the Menu Manager. Using this Horomenu, you can setting up site navigation menu.

To change the top navigation on your site, please follow these steps :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. To setup use the form below :



The screenshot shows a 'Site Navigation' menu manager interface. It has a header with 'Add Menu Item' and 'Reload Menu' buttons. Below is a table with columns for 'Menu Item' (a list of URLs), 'Edit' (with a pencil icon), and 'Delete' (with a red X icon). The menu items listed are: 10. langcommonhome, 20. langcommonabout, 30. langproductproduct, 40. langproductfeatures, 50. langcontactus, and 70. langcommonsearch.

| Menu Item | Edit | Delete |
|-------------------------|------|--------|
| 10. langcommonhome | | |
| 20. langcommonabout | | |
| 30. langproductproduct | | |
| 40. langproductfeatures | | |
| 50. langcontactus | | |
| 70. langcommonsearch | | |

This screen shows you a list of your current menu items and allows you to add, edit and delete them.

To add a menu item, click the **Add Menu Item** button at the top of the page.

To delete a menu item, simply click the **Delete** button next to it – you will be asked “are you sure you want to delete this item”, to give you a chance to change your mind.

To edit a menu item, click the **Edit** button next to it.

Whenever you make a change to your menu, you need to reload it by clicking the **Reload Menu** button. This will re-generate the HTML that makes up your menu.

2.1.1.3.1 Adding and editing menu items

The following form allows you to add and edit menu items on your site.

Menu Item Details

| | | |
|---|---|---|
| Menu Name: | <input type="text"/> |  |
| URL: | Select the page you wish to link to: <input type="button" value="Select"/>  | |
| OR | | |
| Type in the URL to the page you wish to link to: <input type="text"/>  | | |
| Sequence Number (lowest number appears first): | <input type="text"/> |  |
| Open In: | <input type="button" value="Same Window"/>  |  |
| Parent Menu Item: | <input type="button" value="Top Level Item"/>  |  |
| Only show in this site | <input type="checkbox"/> | |
| <input type="button" value="submit"/> | | |

| | |
|-------------------------------|---|
| Menu Name | This is the display name of the menu item. If you are using multiple languages on your site and you want it to translate, you can enter a keyword from the languages table here. For example, instead of entering <i>Products</i> as your menu name, use <i>langcommonproducts</i> . |
| URL | You can either select an item from the dropdown list or enter your own URL into the box. The dropdown box contains commonly used pages and also allows you to link to any records you have in the Content table. |
| Sequence Number | This determines which order this item will appear in the menu. |
| Open In | You can have menu items open links in the same window or a new browser window. |
| Parent Menu Item | If the menu item you are creating is a sub-menu item, you need to select the parent menu item from this list. |
| Only show in this site | If you are using product matching and want to have a different menu for each store you have set up, you can enter the keyword from xproductmatch in the shop\$config.asp that you want this menu item to belong to here. Note: You must reload the menu for any changes in this field to take effect and you must do so in the shop administration for each different shop you have set up. |

2.1.1.4 Header Sub Container

Header Sub Container enables you to setup the following display:

- i. Welcome section (e.g. Hi, Guest (Login))
- ii. Minicart section (e.g. Shopping Cart Items: 0 Sub-Total : US\$0.00)
- iii. Form section (e.g. Currency/Language/Search dropdowns)


Welcome, Guest ([Login](#)) Shopping Cart Items: 0 Sub-Total : US\$0.00

Search

All are located underneath the top navigation menu of your homepage and each section is displayed in horizontal sequence.

To setup the Header Sub Container box of your store, please follow steps below:

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Header Sub Container** and click **Edit**



3. To set up Header Sub Container box use the form :

| | |
|-------------------------|---------------------|
| Welcome Section | Enable : Yes |
| Main Seq No. | 01 |
| MiniCart Section | Enable : Yes |
| Main Seq No. | 02 |
| Form Section | Enable : Yes |
| Main Seq No. | 03 |
| Currency | Enable : No |
| Form Seq No. | 01 |
| Label Name | langcurrency |
| Languages | Enable : No |
| Form Seq No. | 02 |
| Label Name | langadminlanguages |
| Search | Enable : Yes |
| Form Seq No. | 03 |
| Label Name | LangCommonSearch |

Save Changes | **Close**

Enable: Setting this to **Yes** will display the whole parts of the Header Sub Container box.

Sub sections for Header Sub Container detailed below:

2.1.1.4.1 Welcome Section

In your homepage, the welcome section is the one start with “**Hi, Guest (Login)**” located underneath the top navigation menu.

| Welcome Section | |
|-----------------|------------------------------------|
| Enable | <input type="button" value="Yes"/> |
| Main Seq No. | <input type="text" value="01"/> |

Enable: Setting this to **Yes** will display the welcome section.

Main Seq No.: This is the horizontal sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03. Default value is 01.

2.1.1.4.2 MiniCart Section

In your homepage, the Minicart section is the one start with e.g. “**Shopping Cart Items: 0 Sub-Total : US\$0.00**” located underneath the top navigation menu.

| MiniCart Section | |
|------------------|------------------------------------|
| Enable | <input type="button" value="Yes"/> |
| Main Seq No. | <input type="text" value="02"/> |

Enable: Setting this to **Yes** will display the minicart section.

Main Seq No.: This is the horizontal sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03. Default value is 02.

2.1.1.4.3 Form Section

In your homepage, the Form section is the one start with Currency/Language/Search dropdowns located underneath the top navigation menu.

| | |
|---------------------|------------------------------------|
| Form Section | |
| Enable | <input type="button" value="Yes"/> |
| Main Seq No. | 03 |
| Currency | |
| Enable | <input type="button" value="No"/> |
| Form Seq No. | 01 |
| Label Name | langcurrency |
| Languages | |
| Enable | <input type="button" value="No"/> |
| Form Seq No. | 02 |
| Label Name | langadminlanguages |
| Search | |
| Enable | <input type="button" value="Yes"/> |
| Form Seq No. | 03 |
| Label Name | LangCommonSearch |

Enable: Setting this to **Yes** will display the form section.

Main Seq No.: This is the horizontal sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03. Default value is 03.

2.1.1.4.3.1 *Currency Section*

| | |
|---------------------|------------------------------------|
| Currency | |
| Enable | <input type="button" value="Yes"/> |
| Form Seq No. | 01 |
| Label Name | langcurrency |

Enable: Setting this to **Yes** will display the currency section.

Form Seq No.: This is the horizontal sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03. Default value is 01.

2.1.1.4.3.2 *Languages Section*

| | |
|---------------------|---|
| Languages | |
| Enable | <input type="button" value="No"/> |
| Form Seq No. | <input type="text" value="02"/> |
| Label Name | <input type="text" value="langadminlanguages"/> |

Enable: Setting this to **Yes** will display the language section.

Form Seq No.: This is the horizontal sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03. Default value is 02.

2.1.1.4.3.3 Search Section

| | |
|---------------------|---|
| Search | |
| Enable | <input type="button" value="Yes"/> |
| Form Seq No. | <input type="text" value="03"/> |
| Label Name | <input type="text" value="LangCommonSearch"/> |

Enable: Setting this to **Yes** will display the search section.

Form Seq No.: This is the horizontal sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 03. Default value is 03.

2.1.2. Left Box Section

The screenshot shows the 'Layout Manager' interface with a sidebar containing several items:

- Col. MiniCart
- Col. Categories
- Col. Search
- Col. Language
- Col. Currency
- Col. Featured Products
- Col. Top Sellers
- Col. Content Links
- Col. Image

At the bottom of the sidebar is an 'Add Box' button.

Left box section of the layout manager (see left image) consist of :

2.1.2.1 Col. Minicart

To setup the display of the minicart box in the left bar of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. Minicart** and click **Edit**
3. To set up Col. Minicart box use the form :

| | |
|----------------------------------|-----------------------|
| Current Container | Col. MiniCart |
| Main Selection | COL_MINICART |
| Enable | Yes |
| Label Name | lang hpm grm minicart |
| Seq No. | 01 |
| Save Changes Close | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the minicart box.

Label Name: Enter the name to be displayed as ALT tag of your logo.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 01.

2.1.2.2 Col. Categories

To setup the display of the category box in the left bar of your site, please follow these steps below:

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. Categories** and click **Edit**



3. To set up Col. Categories box use the form :

| | |
|----------------------------------|------------------------|
| Current Container | Col. Categories |
| Main Selection | COL. CATEGORIES |
| Enable | Yes |
| Label Name | Lang Common Categories |
| Seq No. | 02 |
| Categories Style? | None |
| Save Changes Close | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the category box.

Label Name: Enter the title for the category box.


Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 02.

Show Categories Style?: Setting this to **Yes** to display the list of categories in styled-look, with underline and icon for each category name. Set to **No** will display the categories in plain format.

2.1.2.3 Col. Search

To setup the display of the search box in the left bar of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. Search** and click **Edit**



3. To set up Col. Search box use the form :

| | |
|----------------------------------|--------------------|
| Current Container | Col. Search |
| Main Selection | COL. SEARCH |
| Enable | Yes |
| Label Name | Lang Common Search |
| Seq No. | 03 |
| Advanced Search Link? | Yes |
| Save Changes Close | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the search box.

Label Name: Enter the title for the search box.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 03.

Advanced Search Link?: Setting this to **Yes** to display the Advanced Search link in the search box.

2.1.2.4 Col. Language

To setup the display of the language box in the left bar of your site, please follow these steps below:

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. Language** and click **Edit**



3. To set up Col. Language box use the form :

| | |
|--|--|
| Current Container | Col. Language |
| Main Selection | <input type="button" value="COL. LANGUAGE"/> |
| Enable | <input type="button" value="Yes"/> |
| Label Name | <input type="text" value="langlanguage"/> |
| Seq No. | <input type="text" value="04"/> |
| <input type="button" value="Save Changes"/> <input type="button" value="Close"/> | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the language box.

Label Name: Enter the title for the language box.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 04.

2.1.2.5 Col. Currency

To setup the display of the currency box in the left bar of your site, please follow these steps below:

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. Currency** and click **Edit**



3. To set up Col. Currency box use the form :

| | |
|--|---------------|
| Current Container | Col. Currency |
| Main Selection | COL_CURRENCY |
| Enable | Yes |
| Label Name | lang currency |
| Seq No. | 05 |
| Show Flag? | Yes |
| Show Dropdown for Currency? | Yes |
| <input type="button" value="Save Changes"/> <input type="button" value="Close"/> | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the currency box.

Label Name: Enter the title for the currency box.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 05.

Show Flag?: Setting this to **Yes** will display the flag of countries.

Show Dropdown for Currency?: Setting this to **Yes** will display the dropdowns list of currencies.

2.1.2.6 **Col. Featured Products**

To setup the display of the featured products box in the left bar of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. Featured Products** and click **Edit**



3. To set up Col. Featured Products box use the form :

| | | | | |
|--|--|--|--|--|
| Current Container | Col. Featured Products | | | |
| Main Selection | COL. FEATURED PRODUCTS | | | |
| Enable | Yes | | | |
| Label Name | langfeaturedproducts | | | |
| Seq No. | 06 | | | |
| Slide Show? | Yes | | | |
| Search for a Product | | | | |
| 23 | Glass Coffee Table | | | |
| 11 | Classic Wood Dining Table | | | |
| 13 | Cutlery Set Steak Knives Stainless Steel | | | |
| 14 | Kitchen Knife Cookware Set | | | |
| 12 | Cordless Electric Kettle | | | |
| 10 | Modern Dining Table | | | |
| <input type="button" value="Save Changes"/> <input type="button" value="Close"/> | | | | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the featured products box.

Label Name: Enter the title for the featured products box.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 06.

Slide Show?: Setting this to **Yes** will display products in a sliding animation.

Search for a Product: If you want to include a product into the featured product, please type the product name, and result will be displayed so you can click Add to include the product into the featured product list. You can also remove product from the featured product and change the sequence of the product list by click the **Trash** icon and the **Arrow** icon. Remember to click the **Save** button each time you do changes.

2.1.2.7 Col. Top Sellers

To setup the display of the topseller box in the left bar of your site, please follow these steps below:

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. Top Sellers** and click **Edit**



3. To set up Col. Top Sellers box use the form :

| | |
|----------------------------------|------------------|
| Current Container | Col. Top Sellers |
| Main Selection | COL. TOP SELLERS |
| Enable | Yes |
| Label Name | langtopsellers |
| Seq No. | 07 |
| How many items? | 6 |
| Slide Show? | No |
| Save Changes Close | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the topseller box.

Label Name: Enter the title for the topseller box.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 07.

How many items?: Enter the number of topseller items to be displayed.

2.1.2.8 Col. Content Links (Information & Links)

To setup the display of the Information and Links boxes in the left bar of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. Content Links** and click **Edit**



3. To set up Col. Content Links box use the form :

| | |
|--|--------------------|
| Current Container | Col. Content Links |
| Main Selection | COL. CONTENT LINKS |
| Enable | Yes |
| Seq No. | 08 |
| How many items? | 6 |
| Enter here the Content Category you wish to display | |
| 1 INFORMATION | |
| One Content Box only allow One Content Category. | |
| Save Changes Close | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the Information and Links box.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 08.

How many items?: Enter the maximum number of items.

Enter here the Content Category you wish to display: If you want to include content from a content category into the content page, please type the content category name, and result will be displayed so you can click **Add** to include the category into content page list.
You can also remove category from the content page by click the **Trash** icon. Remember to click the **Save Changes** button each time you do changes.

2.1.2.9 Col. News Links

To setup the display of the news links box in the left bar of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. News Links** and click **Edit**



3. To set up Col. News Links box use the form :

| | |
|--|--|
| Current Container | Col. News Links |
| Main Selection | <input type="button" value="COL. NEWS LINKS"/> |
| Enable | <input type="button" value="Yes"/> |
| Label Name | <input type="text" value="News"/> |
| Seq No. | <input type="text" value="09"/> |
| How many items? | <input type="text" value="5"/> |
| <input type="button" value="Save Changes"/> <input type="button" value="Close"/> | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the news box.

Label Name: Enter the title for the news box.


Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 09.

How many items?: Enter the maximum number of news.

2.1.2.10 Col. Blog Links

To setup the display of the blog links box in the left bar of your site, please follow these steps below:

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. Blog Links** and click **Edit**



3. To set up Col. Blog Links box use the form :

| | |
|----------------------------------|-----------------|
| Current Container | Col. Blog Links |
| Main Selection | COL. BLOG LINKS |
| Enable | Yes |
| Label Name | Blogs |
| Seq No. | 10 |
| How many items? | 5 |
| Save Changes Close | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the blogs box.

Label Name: Enter the title for the blogs box.


Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 10.

How many items?: Enter the maximum number of blogs.

2.1.2.11 **Col. Free Text**

To add your own text in the left bar of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. Free Text** and click **Edit**



3. To set up your own text use the form :

| | |
|--------------------------|---|
| Current Container | Col. Free Text |
| Main Selection | COL. FREE TEXT |
| Enable | Yes |
| Label Name | Attentions |
| Seq No. | 11 |
| Display with Box | No |
| Display Text | Our shop is 100% secure for online shopping |

Save Changes **Close**

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display your own text.

Label Name: Enter the title for your text section.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 11.


Display with Box: Setting this to **Yes** will display your text in a box.

Display Text: Enter the text description you want to display.

2.1.2.12 Col. Image

To insert your own image in the left bar of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Col. Image** and click **Edit**



3. To set up your own image use the form :

| | |
|---|---|
| Current Container | Col. Image |
| Main Selection | <input type="button" value="COL. IMAGE"/> |
| Enable | <input type="button" value="Yes"/> |
| Alt Tag Name | <input type="text" value="LangSurchargeMethod"/> |
| Seq No. | <input type="text" value="12"/> |
| Image | <input type="text" value="images/payment.gif"/> <input type="button" value="Upload"/> |
| image View | |
| Width | <input type="text" value="162"/> |
| Height | <input type="text" value="26"/> |
| Link URL | <input type="text"/> |
| Resize Ori. Image | <input type="button" value="No"/> |
| NOTE: Resize image will reduce original image file in your hosting. Your hosting need to support for aspjpeg component. If you set to Yes, VP-ASP run the resize once and after resize, the value Yes will be automatically reset to No as default. | |
| <input type="button" value="Save Changes"/> <input type="button" value="Close"/> | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the freeimage.

Alt Tag Name: Enter Alt tag for the image.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 12. Default value is 01.

Image: Click “Upload image” to upload a file with your logo. Click “View” to preview your current logo.

Width: Enter your image width.

Height: Enter your image height.

Link Url: Enter a site url for the image link e.g. <http://www.othersite.com>

Resize Ori. Image: Setting this to **Yes** will resize your original image and reduce the size of the file based on the width and height specified. Your hosting need to enable Aspjepg component to work with this feature. If you set to **Yes**, VP-ASP run the resize once and after resize, the value **Yes** will be automatically reset to **No** as default.

2.1.2.13 Add Box

If you need to add new box, you can use the button in the bottom of the left bar of the layout manager.

Once you have clicked the button, it will display a new box with title Empty as you can see in the picture below:



Click the **Edit** link and choose one of the container in the Main Selection to display it in the left bar of your site. Simply just follow the guide for each section you want to add that already described in the previous chapter.

2.1.3. Body Section

Body section enables you to setup the following display:

- i. Welcome text box e.g. Welcome to my Online Store
- ii. News Highlights box
- iii. Blogs Highlights box
- iv. Latest Products box
- v. Random Pick Products box
- vi. Your own text e.g. Attention box

Welcome to my Online Store

Welcome to the VP-ASP Shopping Cart! This is the front page of your new store - you can add and edit your categories and products through the VP-ASP administration. You can also change this text in the Content section of the VP-ASP administration. You can find more information on how to customize your entire store by visiting the Help section of our website at <http://www.vpaspx.com/helpnotes>.



News Highlights

No News

Blog Highlights

September Wednesday 9 2009 - Welcome to our Blog!
With the new release of VPASP 700 we have included not only a News Article system but also a Blog Ma ... [Read more >](#)

Latest Products

Product Highlights



Classic Wood Dining Table
The latest in style dining table perfect for



Glass Coffee Table


All are located underneath the navigation menu of your homepage and each section is displayed in vertical sequence.

2.1.3.1 Body Main Content

To setup the display of the content / welcome box in the center of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.

2. On the Layout Manager page, go to the **Body Main Content** and click **Edit**



3. To set up Body Main Content box use the form :

| | |
|--|--|
| Current Container | Body Main Content |
| Main Selection | BODY MAIN CONTENT |
| Enable | Yes |
| Seq No. | 01 |
| Page ID | 8 |
| Image | images/site/red_sofa.gif Upload |
| Image View | |
| Content Header | Welcome to my Online Store |
| Display Text | <pre><p>Welcome to the VP-ASP Shopping Cart! This is the front page of your new store - you can add and edit your categories and products through the VP-ASP administration. You can...</pre> Advance Edit |
| <input type="button" value="Save Changes"/> <input type="button" value="Close"/> | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the content / welcome box.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 06. Default value is 01.

Page ID : This is the contentid of a content that has been set as homepage. You can also found in Website > Page Manager and search for the contentid listed there. The contentid listed as homepage in the Page Manager will be automatically display the page ID in this contentpage section.

Image: This is your content / welcome image. Click “Upload image” to upload your logo. Click “View” to preview your current image.

Content Header: Enter the title for the content / welcome box.

Display Text: Enter the details of your content / welcome box.

2.1.3.2 **Body News Links**

To setup the display of the news box in the center of your site, please follow these steps below :

1. In the top menu select **Website** , then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Body News Links** and click **Edit**



3. To set up Body News Links box use the form :

| | |
|----------------------------------|--------------------|
| Current Container | Body News Links |
| Main Selection | BODY NEWS LINKS |
| Enable | Yes |
| Label Name | langnewshighlights |
| Seq No. | 02 |
| How many items? | 5 |
| Save Changes Close | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the news box.

Label Name: Enter the title for the news box.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 06. Default value is 02.

How many items?: Enter the maximum number of news.

2.1.3.3 *Body Blog Links*

To setup the display of the blog box in the center of your site, please follow these steps below :

1. In the top menu select **Website** , then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Body Blog Links** and click **Edit**



3. To set up Body Blog Links box use the form :

| | |
|----------------------------------|--------------------|
| Current Container | Body Blog Links |
| Main Selection | BODY BLOG LINKS |
| Enable | Yes |
| Label Name | langbloghighlights |
| Seq No. | 03 |
| How many items? | 5 |
| Save Changes Close | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the blogs box.

Label Name: Enter the title for the blogs box.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 06. Default value is 03.


How many items?: Enter the maximum number of blogs.

2.1.3.4 Body New Products

To setup the display of the new products box in the center of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.

2. On the Layout Manager page, go to the **Body New Products** and click **Edit**



3. To set up Body New Products box use the form :

| | |
|----------------------------------|----------------------------|
| Current Container | Body New Products |
| Main Selection | BODY NEW PRODUCTS |
| Enable | Yes |
| Label Name | lang common latest product |
| Seq No. | 04 |
| Random | Yes |
| How many items? | 6 |
| Duration (days) | 90 |
| Save Changes Close | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the new products box.

Label Name: Enter the title for the new products box.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 06. Default value is 04.

Random: Setting this to **Yes** will randomize the new products.

How many items?: Enter the maximum number of new products. This will update the value of xNewProductsfrontpagemaxrecords.

Duration (days): Enter number of days to show all new products that have been added to the shopping cart during the defined period. For example, adding 3 will show all products that have been added in the last 3 days. This will update the value of xNewProductDuration.

2.1.3.5 Body Random Products

To setup the display of the random products box in the center of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Body Random Products** and click **Edit**



3. To set up Body Random Products box use the form :

The form has the following fields:

| | | |
|---|-------------------------|------------|
| Current Container | Body Random Products | |
| Main Selection | BODY RANDOM PRODUCTS | |
| Enable | Yes | |
| Label Name | lang product highlights | |
| Seq No. | 05 | |
| How many items? | 6 | |
| Random Limit Value | 200 | |
| Enter here the Content Category you wish to display | | |
| 7 | Coffee tables | trash icon |
| 6 | Seating | trash icon |
| 3 | Dining | trash icon |
| Save Changes Close | | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the random products box.

Label Name: Enter the title for the random products box.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 06. Default value is 05.

How many items?: Enter the maximum number of random products.

Random Limit Value: If you have a lot of products and the random product display on the homepage is slowing down, add a number here to limit the number of products available for inclusion in the random products. This will update the value of xrandomproductlimit.

Enter here the Content Category you wish to display: If you want to include products from a category into the random products, please type the category name, and result will be displayed so you can click **Add** to include the category into the random list.


You can also remove a category from the random products by click the **Trash** icon. Remember to click the **Save Changes** button each time you do changes.

NOTE : If you want to display all categories, just remove categories from list, it will random all products.

2.1.3.6 Body Free Text

To add your own text in the center of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Body Free Text** and click **Edit**



3. To set up Body Free Text box use the form :

| | |
|----------------------------------|--|
| Current Container | Body Free Text |
| Main Selection | BODY FREE TEXT |
| Enable | Yes |
| Label Name | Attention |
| Seq No. | 06 |
| Display with Box | No |
| Display Text | Our site is 100% secured for online shopping |
| Save Changes Close | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display your own text.

Label Name: Enter the title for your text section.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 06. Default value is 06.


Display with Box: Setting this to **Yes** will display your text in a box.

Display Text: Enter the text description you want to display.

2.1.3.7 Add Box

If you need to add new box for the center box homepage, you can use the **Add Box** button in the bottom of the Body section of the layout manager.

Once you have clicked the button, it will display a new box with title Empty as you can see in the picture below:



Click the **Edit** link and choose one of the container in the Main Selection to display it in the center box of your site. Simply just follow the guide for each section you want to add that already described in the previous chapter.

2.1.4. Right box Section

VP-ASP 7.00 is designed to allow you to manage your homepage that is using 2 column or 3 column template.

Currently VP-ASP 7.00 detects the template value by this config “xtemplate”. The default value is **default-2cols** as like you are currently using.

Default-2cols is a two column template consist of left box and center box layout.

If you look into the layout manager which have left box and center box, but not found right box section that is because you are using the default template “**Default-2cols**”.

If you wish to use 3 column template, you can set the “xtemplate” value to : **default-3cols** in your VP-ASP administration.

Please follow these steps below :


1. Login to your VP-ASP Control Panel.
2. In the top, go to : Advanced Settings » Software Configuration
3. Search for : xtemplate
4. Set this value to : **default-3cols**
5. Click Continue.

Assume you are using 2 column template, with center/body box and right box, the layout manager will automatically display the center boxes and right boxes for you to configure.

The looks of the Right box section in the layout manager is exactly the same as in the left box section.

Please refer to chapter the **Left Box Section** on page 19 to start manage the right box section in case in the future you are using 2 column (center and right bar) or 3 column (left, center, and right bar) layout.

2.1.5. Footer Section



Footer section of the layout manager (see above image) consist of :

2.1.5.1 Footer ABC Product Search Container

Footer ABC Product Search Container enables you to setup the alphabets links in the bottom of your site.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

To setup the alphabets links in the bottom of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Footer ABC Product Search Container** and click **Edit**



3. To set up Footer ABC Product Search Container box use the form :

Current Container Footer ABC Product Search Container

Main Selection

FOOTER ABC PRODUCT SEARCH CONTAINER ▾

Enable Yes ▾

Seq No. 01

Save Changes **Close**

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the alphabets.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 05. Default value is 01.

2.1.5.2 Footer Free Text Container

Footer Free Text Container enables you to add your own text in the bottom of your site. You can for example add the copyright text for your site.

Copyright © 1999-2010 Rocksalt International Pty Ltd. All rights reserved.

To add your own text in the bottom of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Footer Free Text Container** and click **Edit**



3. To set up Footer Free Text Container box use the form :

| | |
|----------------------------------|----------------------------|
| Current Container | Footer Free Text Container |
| Main Selection | FOOTER FREE TEXT CONTAINER |
| Enable | Yes |
| Seq No. | 02 |
| Display Text | LangCommonCopyright |
| Save Changes Close | |

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display your own text.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 05. Default value is 02.

Display Text: Enter the copyright text you want to display.

2.1.5.3 Footer Powered By VPASP Shopping Cart

Footer Powered By VPASP Shopping Cart section enables you to setup the “Powered by” text in the bottom of your site.

Powered by VP-ASP Shopping Cart

To setup the “Powered by” text in the bottom of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Footer Powered By VPASP Shopping Cart** and click **Edit**

| | |
|--|---------------|
| Footer Powered By VPASP Shopping Cart | |
| Edit | Delete |

3. To set up Footer Powered By VPASP Shopping Cart box use the form :

| | |
|--------------------------|---------------------------------------|
| Current Container | Footer Powered By VPASP Shopping Cart |
| Main Selection | FOOTER POWERED BY VPASP SHOPPING CART |
| Enable | Yes |
| Seq No. | 03 |
| Display Text | langcommonpowerby |

Add your affiliate ID link here and earn money from your site!

Click here to sign up as a **VPASP Affiliate**.

Once you have signed up, simply paste the aff. text into the above box and your done!

Save Changes **Close**

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the powered by text.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 05. Default

value is 03.

Display Text: Enter the text you want to display in the powered by.


2.1.5.4 Footer Links Container

Footer Links Container enables you to setup the horizontal navigation menu in the bottom of your site.

Home | Products | Features | About Us | Contact us | Search

To setup the horizontal navigation menu in the bottom of your site, please follow these steps below:

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Footer Links Container** and click **Edit**



3. To set up Footer Links Container use the form :

| Current Container | | Footer Links Container |
|------------------------|-------------------------------|------------------------|
| Main Selection | | |
| FOOTER LINKS CONTAINER | | |
| Enable | Yes | |
| Seq No. | 04 | |
| Link Title | | |
| Link URL | | |
| Add Link | | |
| LangCommonHome | default.asp | |
| LangProduct01 | shopdisplaycategories.asp | |
| LangProductFeatures | shopcontent.asp?type=features | |
| Langcommonaboutus | shopcontent.asp?type=Aboutus | |
| LangContactus | shopcustcontact.asp | |
| LangCommonSearch | shopsearch.asp | |

Add Link

Save Changes **Close**

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display the horizontal navigation menu in the bottom.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 05. Default value is 04.

Link Title: Enter the menu you want to add.

Link URL: Enter the full url of the Link Title.


Add Link : Click this after you have filled in the Link Title and Link URL. This will display the new menu in table below the **Add Link** button.

You can also remove menu from horizontal navigation and change the sequence of the horizontal menu in the bottom by clicking the **Trash** icon and the **Arrow** icon. Remember to click the **Save Changes** button each time you do changes.

2.1.5.5 Footer Image Container

Footer Image Container allows you to insert your own image into the bottom of your homepage. To insert your own image into the bottom of your site, please follow these steps below :

1. In the top menu select **Website**, then **Layout Manager** from the drop-down.
2. On the Layout Manager page, go to the **Footer Image Container** and click **Edit**



3. To set up Footer Image Container use the form :

| | |
|--------------------------|------------------------|
| Current Container | Footer Image Container |
| Main Selection | FOOTER IMAGE CONTAINER |
| Enable | Yes |
| Alt Tag Name | Payment Methods |
| Seq No. | 05 |
| Image | images/payment.gif |
| Width | 162 |
| Height | 26 |
| Link URL | |
| Resize Ori. Image | No |

NOTE: Resize image will reduce original image file in your hosting. Your hosting need to support for aspjepg component. If you set to Yes, VP-ASP run the resize once and after resize, the value Yes will be automatically reset to No as default.

Main Selection: This is the dropdowns that provide list of containers you can choose.

Enable: Setting this to **Yes** will display your own image.

Alt Tag Name: Enter the alt tag for your image.

Seq No.: This is the vertical sequence number, enter with format e.g. 01 (means to display on the first). You cannot enter with e.g. 1. If you want to display the sequence in the last, enter bigger number e.g. 05. Default value is 05.

Image: Click "Upload image" to upload your image. Click "View" to preview your current image.

Width: Enter your image width.


Height: Enter your image height.

Link Url: Enter a site url for the image link e.g. <http://www.othersite.com>


Resize Ori. Image: Setting this to **Yes** will resize your original image and reduce the size of the file based on the width and height specified. Your hosting need to enable Aspjepg component to work with this feature. If you

set to **Yes**, VP-ASP run the resize once and after resize, the value **Yes** will be automatically reset to **No** as default.

2.1.5.6 Add Box

If you need to add new box for the footer homepage, you can use the  button in the bottom of the footer bar of the layout manager.

Once you have clicked the button, it will display a new box with title Empty as you can see in the picture below:



Click the **Edit** link and choose one of the container in the Main Selection to display it in the footer bar of your site. Simply just follow the guide for each section you want to add that already described in the previous chapter.

2.2 Code Snippets / Tags to Customize Your Site


In your VP-ASP 7.00 site, you will see the minicart box, categories box, languages box, currencies box, featured products box, top sellers box, new products box, random products box, blog box, news box, and Information box.. All of these features can be turned on/off via the Layout Manager as described in the previous chapter.

To offer more flexibility for you so that you can put any of the modules in any places in your site, we will try to explain how you can modify the header and footer template to put each modules in desired position in your header or footer template. It is just simply to call the snippet/ tag in insert into your header or footer template.

2.2.1. Display Minicart with Styled Format Somewhere in Your Site

Please use this snippet below to display minicart with styled format :

```
<%NavigateShowMiniCartCssStyled%>
```



The screenshot shows the front page of a VP-ASP shopping cart. At the top, there's a large red sofa. Below it, a box contains the text "Welcome to my Online Store". To the left of the sofa, there's a paragraph of welcome text. To the right of the sofa, there's a minicart summary table with two items: a "Classic Wood Dining Table" and a "Cookware Set". At the bottom of the page, there are links for "View Cart" and "Checkout".

| Item | Quantity | Product Name | Price |
|------|----------|---------------------------|------------|
| 1 | 1 | Classic Wood Dining Table | US\$180,00 |
| 2 | 2 | Cookware Set | US\$11,99 |

Sub-Total: US\$203,98
[View Cart](#) | [Checkout](#)

For example, if you wish to display the minicart in the top of the text "Welcome to my Online Store", then please follow these steps below :

1. Open file shoppage_header.htm located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :
`<%NavigateShowMiniCartCssStyled%>`
3. Save the file and upload to your site.

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.


2.2.2. *Display Categories with Styled Format Somewhere in Your Site*

There are three snippets that you can choose to display categories with styled format :

1. Display categories dropdown type in styled :
`<%NavigateShowCategoriesStyled "dropdown", "yourprefixdivname"%>`

- Dining
- Donation
- Kitchen
- Living...
 - Coffee tables
 - Seating
- Office

2. Display categories flyout type in styled :
`<%NavigateShowCategoriesStyled "flyout", "yourprefixdivname"%>`



3. Display normal categories without styled :
`<%NavigateShowCategories%>`

- Dining
- Donation
- Kitchen
- Living...
- Office

For example, if you wish to display the categories flyout type in the top of the text “Welcome to my Online Store”, then please follow these steps below :

1. Open file shoppage_header.htm located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :
`<%NavigateShowCategoriesStyled "flyout", "yourprefixdivname"%>`

3. Save the file and upload to your site.

Preview of the example :



Welcome to my Online Store

Welcome to the VP-ASP Shopping Cart!
This is the front page of your new store - you can add and edit your categories and products through the VP-ASP



Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

2.2.3. *Display Languages Selection Somewhere in Your Site*

Please use this snippet below to display languages selection :
<%Navigateshowlanguages "yourprefixdivname" %>

English ▾

Welcome to my Online Store

Welcome to the VP-ASP Shopping Cart!
This is the front page of your new store - you can add and edit your categories and products through the VP-ASP administration. You can also change this text in the Content section of the VP-ASP administration. You can find more information on how to customize your entire store by visiting the Help section of our website at <http://helpnotes.vpasp.com/>.



For example, if you wish to display the languages selection in the top of the text "Welcome to my Online Store", then please follow these steps below :

1. Open file shoppage_header.htm located in the folder "templates\default-2cols" (if you are using 2 column) or "templates\default-3cols" (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :
<%Navigateshowlanguages "yourprefixdivname" %>
3. Save the file and upload to your site.

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

2.2.4. *Display Currencies Selection Somewhere in Your Site*

Please use this snippet below to display currencies selection :
<%Navigateshowcurrencies "yourprefixdivname" %>

American Dollar ▾

Welcome to my Online Store

Welcome to the VP-ASP Shopping Cart!
This is the front page of your new store - you can add and edit your categories and products through the VP-ASP administration. You can also change this text in the Content section of the VP-ASP administration. You can find more information on how to customize your entire store by visiting the Help section of our website at <http://helpnotes.vpaspc.com/>.



For example, if you wish to display the currencies selection in the top of the text "Welcome to my Online Store", then please follow these steps below :

1. Open file shoppage_header.htm located in the folder "templates\default-2cols" (if you are using 2 column) or "templates\default-3cols" (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :
<%Navigateshowcurrencies "yourprefixdivname"%>
3. Save the file and upload to your site.

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

2.2.5. *Display Featured Products Somewhere in Your Site*

Please use this snippet below to display featured products :

```
<%NavigateFeaturedProducts%>
```



Glass Coffee Table

US\$99,00

[Details](#)



Classic Wood Dining Table

US\$180,00

[Details](#)



Cutlery Set Steak Knives Stainless Steel Kitchen Knife

US\$9,99

[Details](#)

For example, if you wish to display the featured products in the top of the text "Welcome to my Online Store", then please follow these steps below :

1. Open file shoppage_header.htm located in the folder "templates\default-2cols" (if you are using 2 column) or "templates\default-3cols" (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :
`<%NavigateFeaturedProducts%>`
3. Save the file and upload to your site.

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

2.2.6. Display Top Seller Products Somewhere in Your Site

There are two snippet that you can use to display top seller products :

1. `<%NavigateTopSeller "x"%>`
2. `<% NavigateTopSellerDuration "x","y" %>`

Note:

x is how many top seller products to be displayed e.g. 5 means you will display 5 top seller products.

y is how many days to count product sales as topseller. Eg. If you specify 30, that means topseller products will be displayed by recent 30 days of product sales.



Classic Wood Dining Table

US\$180,00
Details

Welcome to my Online Store

Welcome to the VP-ASP Shopping Cart!
This is the front page of your new store - you can add and edit your categories and products through the VP-ASP administration. You can also change this text in the Content section of the VP-ASP administration. You can find more information on how to customize your entire store by visiting the Help section of our



For example, if you wish to display a top seller product in the top of the text "Welcome to my Online Store", then please follow these steps below :

1. Open file shoppage_header.htm located in the folder "templates\default-2cols" (if you are using 2 column) or "templates\default-3cols" (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :
`<%NavigateTopSeller "1"%> OR <% NavigateTopSellerDuration "1","30" %>`
3. Save the file and upload to your site.

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

2.2.7. Display Content Category Name and Related Links Somewhere in Your Site

Please use this snippet below to display a **particular content category name** :

```
<%ShowContentBoxCatName "categoryid"%>
```

Note: **Categoryid** is the content category id that you wish to display the name.

If you have a content category with id 1 and you wish to display the name, then the snippet will be as below :

```
<%ShowContentBoxCatName "1"%>
```

You may want to getting know where you can find out the content category id.

Please follow these steps below on how to getting know that content category id :

1. Login to your VP-ASP administration.
2. Go to : Website > Page Manager
3. Choose Content Categories in the tab.
4. “ncategoryid” column is the content category id and “ncatdescription” is the content category name that you may wish to display in the site.

| ncategoryid | ncatdescription |
|-------------|-----------------|
| 1 | Information |
| 2 | Links |

Further more, please use this snippet below to display a **particular content category related links** :

```
<%ShowContentBox "categoryid","x"%>
```

Note: **Categoryid** is the content category id that you wish to display the name.

X is how many records of related links you wish to display.

If you have a content category with id 1 and you wish to display 3 records of related links, then the snippet will be as below :

```
<%ShowContentBox "1","3"%>
```

For example, if you wish to display the content category id 1and 3 related link records in the top of the text “Welcome to my Online Store”, then please follow these steps below :

1. Open file shoppage_header.htm located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).
2. Insert these snippet in the very bottom line of the file :

```
<%ShowContentBoxCatName "1"%>
<%ShowContentBox "1","3"%>
```
3. Save the file and upload to your site.

Preview of the example :

Information
About Us
Contact us
News

Welcome to my Online Store

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

2.2.8. *Display News List Somewhere in Your Site*

Please use this snippet below to display news list :

```
<%ShowNewsBox "x"%>
```

Note: x is how many news to be displayed e.g. 5 means you will display 5 news.

- ABC Online Backup Solution News

Welcome to my Online Store

For example, if you wish to display a news in the top of the text “Welcome to my Online Store”, then please follow these steps below :

1. Open file shoppage_header.htm located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :
`<%ShowNewsBox "1"%>`
3. Save the file and upload to your site.

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

2.2.9. *Display Blog List Somewhere in Your Site*

Please use this snippet below to display blog list :

```
<%ShowBlogsBox "x"%>
```

Note: x is how many blog to be displayed e.g. 5 means you will display 5 blog.

- Welcome to our Blog!

Welcome to my Online Store

For example, if you wish to display a blog in the top of the text “Welcome to my Online Store”, then please follow these steps below :

1. Open file shoppage_header.htm located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :
`<%ShowBlogsBox "1"%>`
3. Save the file and upload to your site.

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

2.2.10. *Display New Products Somewhere in Your Site*

There are two snippets that you can choose to display new products :

1. Display new products in random :

```
<%displaynewproducts "yes"%>
```

2. Display new products not in random :

```
<%displaynewproducts "no"%>
```

For example, if you wish to display the new products randomly in the top of the text “Welcome to my Online Store”, then please follow these steps below :

1. Open file shoppage_header.htm located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :

```
<%displaynewproducts "yes"%>
```
3. Save the file and upload to your site.

Preview of the example :



Welcome to my Online Store

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

2.2.11. *Display Random Products Box Somewhere in Your Site*

Please use this snippet below to display random products box :

```
<%displayhpmgrrandomproducts "categoryid lists", "x", "labelcaption"%>
```

Note:

Categoryidlists is the list of category id in separated commas e.g. 1,4,6

X is how many records to be displayed in the random products e.g. 10 means to display total of 10 records.

LabelCaption is the title for the random products box e.g. My Random Products

For example, if you wish to display random products box for category id 3 and 6 with total of 4 records, and with title title “OUR RANDOM PRODUCTS” in the top of the text “Welcome to my Online Store”, then please follow these steps below :

1. Open file shoppage_header.htm located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :
`<%displayhpmgrandomproducts "3,6", "4", "OUR RANDOM PRODUCTS"%>`
3. Save the file and upload to your site.

Preview of the example :

OUR RANDOM PRODUCTS

Classic Wood Dining Table

The latest in style dining table perfect for your home.

US\$180,00

More!

Green Couch

This funky green couch will look great in any living room.

US\$350,00

More!

Red Chair

Elegant red chair for your perfect living room.

US\$25,00

More!

Red Couch

This funky red couch will look great in any living room.

US\$350,00

More!

Welcome to my Online Store

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

2.2.12. *Display Login / Logout Status With Link Somewhere in Your Site*

Please use this snippet below to display login/logout status :

`<%loginlogouttoggle%>`

For example, if you wish to display it in the top of the text “Welcome to my Online Store”, then please follow these steps below :

1. Open file shoppage_header.htm located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :

```
<%loginlogouttoggle%>
```

3. Save the file and upload to your site.

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

Preview of the example :

The screenshot shows a web page titled "Welcome to my Online Store". At the top left is a "Login" button. Below the title is a "Logout" link. A search bar is present at the top right. The main content area displays the same "Welcome to my Online Store" message as the header. At the bottom right of the main content area is a link labeled "Advanced Search".

2.2.13. Display Search Form Somewhere in Your Site

Please use this snippet below to display the search form :

```
<%navigateshowsearch "form element name", "label caption", "Yes/No"%>
```

Note:

Form element name : an unique name, this can be anything you want.

Label caption : Caption for the search form.

Yes/No : Please enter **Yes** to display "**Advanced Search**" link.

For example, if you wish to display it in the top of the text "Welcome to my Online Store", then please follow these steps below :

1. Open file shoppage_header.htm located in the folder "templates\default-2cols" (if you are using 2 column) or "templates\default-3cols" (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file :

```
<%navigateshowsearch "searchform1", "Search Product", "Yes"%>
```
3. Save the file and upload to your site.

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

Preview of the example :

The screenshot shows a web page with a search form at the top. The search form has fields for "Search Product" and "search this site", and a "Go" button. Below the search form is a link labeled "Advanced Search". The main content area displays the "Welcome to my Online Store" message.

2.2.14. Using LoadContainer "<ID>"

Beside using the above methods to display certain container or cart elements into your site, you can also call the snippet below to load certain container ID from the table **containerbox**:

```
<%LoadContainer "<ID>"%>
```

Note:

ID : The id of container e.g. 1 or 2 or 3 etc...

To getting know the ID that you want to load your desired container, you can follow these steps below :

1. Login to your VP-ASP Control Panel.
2. Go to : Misc > Edit Table.
3. Select "Containerbox" in the dropdowns.
4. Click Edit Table.
5. You could then see which ID you want to display it.


For example, if you wish to display Currency container in the top of the text "Welcome to my Online Store", then please follow these steps below :

1. Open file shoppage_header.htm located in the folder "templates\default-2cols" (if you are using 2 column) or "templates\default-3cols" (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file (Currency container have ID 6):

```
<%LoadContainer "6"%>
```
3. Save the file and upload to your site.

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

Preview of the example :



2.2.15. Using LoadContainerByName "ContainerDivName", "ContainerName", "SeqNo"

To display certain container or cart elements into your site, you can also call the snippet below to load certain container name from the table **containerbox**:

```
<% LoadContainerByName "ContainerDivName", "ContainerName", "SeqNo" %>
```

Note:

ContainerDivName: The value of the ContainerDivName in the table Containerbox.

ContainerName: The value of the ContainerName in the table Containerbox.

SeqNo: If both ContainerDivName & ContainerName are the same, then enter number for which result you want to display. I

If first result, the SeqNo is 1, if 2nd result, SeqNo is 2. If SeqNo is empty, then VP-ASP will always get the first result.

To get to know the **ContainerDivName** and **ContainerName** that you want to load your desired container, you can follow these steps below :


1. Login to your VP-ASP Control Panel.
2. Go to : Misc > Edit Table.
3. Select “Containerbox” in the dropdowns.
4. Click Edit Table.
5. You could then see which **ContainerDivName** and **ContainerName** column that you want to display it.

For example, if you wish to display Currency container in the top of the text “Welcome to my Online Store”, then please follow these steps below :

1. Open file shoppage_header.htm located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).
2. Insert this snippet in the very bottom line of the file (Currency container have ContainerDivName : welcomeboxsquare and ContainerName : currency) :
`<% LoadContainerByName "welcomeboxsquare","currency","","%">`
3. Save the file and upload to your site.

Note : The above is just an example, you can put that snippet somewhere in your site. The possible template could be in shoppage_header.htm or shoppage_trailer.htm.

Preview of the example :



2.3 Advanced Layout Customisation

This chapter will provide information on how to modify VP-ASP 7.00 layout without using Layout Manager, but have you directly edit the files to display any information that you want in your site.

2.3.1. Replace VP-ASP Left Column Functionality With Your Own Include File

If you wish to add your own include file to replace the VP-ASP left column of your homepage, you can edit the template file shoppage_header.htm located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).

To do this, please follow these steps below :

1. Create the include file first. The include file can be a HTML or ASP file type. The file can contains banners, links, text etc that will enhance your site. Name this with your own filename e.g. myleftcolumn.htm
2. Upload the file to the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).
3. Edit file shoppage_header.htm located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).

4. Locate this code below :
`<%leftsidebox%>`
5. Please replace with :
6. `<div class="side-bar"><!-- #include file="myleftcolumn.htm" --></div>`
Note : myleftcolumn.htm is your own custom file.
7. Save the file and upload to your site.

This would then display the content of your own include file for the left column and replace the VP-ASP left column functionality.

2.3.2. Replace VP-ASP Right Column Functionality With Your Own Include File

If you wish to add your own include file to replace the VP-ASP right column of your homepage, you can edit the template file shoppage_trailer.htm located in the folder “templates\default-3cols” (if you are using 3 column).

To do this, please follow these steps below :

1. Create the include file first. The include file can be a HTML or ASP file type. The file can contains banners, links, text etc that will enhance your site. Name this with your own filename e.g. myrightcolumn.htm
2. Upload the file to the folder “templates\default-3cols” (if you are using 3 column).
3. Edit file shoppage_trailer.htm located in the folder “templates\default-3cols” (if you are using 3 column).
4. Locate this code below :
`<%rightsidebox%>`
5. Please replace with :
6. `<!-- #include file="myrightcolumn.htm" -->`
Note : myrightcolumn.htm is your own custom file.
7. Save the file and upload to your site.

This would then display the content of your own include file for the right column and replace the VP-ASP right column functionality.

2.3.3. Modify The Header Logo Container Manually

In Layout Manager, you can setup the company logo through the **Header Logo Container**. See chapter 2.1.1.1 Header Logo Container for more information. The default position of the logo in the front store is located in the top left.



If you wish to modify the logo manually, you need to modify the template file **shoppage_header.htm** located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).

Please follow these steps below :

1. Open file **shoppage_header.htm** using text editor.
2. Locate the codes below :
`<div id="vp_logo"><%logo%></div>`
3. If you want to remove the logo, simply delete the codes above.
If you want to move the logo to another position, then please move the codes above to somewhere in your site that you wish to display the logo.


Note : You need to always move the whole string including the id, as the id is recognised by Layout Manager.

The id name that containing prefix “**vp_**” indicates that the object is used in Layout Manager in the administration. While id without prefix “**vp_**” would be a general CSS statement.

If you are including the whole `<div id="vp_logo"><%logo%></div>` rather than only `<%logo%>`, that way the Layout Manager can detect the location of your logo in the Layout Manager administration panel.

2.3.4. Modify The Header Top Right Container Manually

In Layout Manager, you can setup the Header Top Right Container that is located in the top right of the site. See chapter 2.1.1.2 Header Top Right Container for more information.



If you wish to modify the box manually, you need to modify the template file **shoppage_header.htm** located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).

Please follow these steps below :

1. Open file **shoppage_header.htm** using text editor.
2. Locate the codes below :
`<div id="vp_welcomeboxsquare"><%welcomeboxsquare%></div>`
3. If you want to remove the box, simply delete the codes above.
If you want to move to another position, then please move the codes above to somewhere in your site that you wish to display the box.

Note : You need to always move the whole string including the id, as the id is recognised by Layout Manager.

The id name that containing prefix “**vp_**” indicates that the object is used in Layout Manager in the administration. While id without prefix “**vp_**” would be a general CSS statement.

If you are including the whole <div id="vp_welcomeboxsquare"><%welcomeboxsquare%></div> rather than only <%welcomeboxsquare%>, that way the Layout Manager can detect the location of the box in the Layout Manager administration panel.

2.3.5. **Modify The Header Navigation Menu Container Manually**

In Layout Manager, you can setup the Header Navigation Menu Container that is the horizontal navigation menu. See chapter 2.1.1.3 Header Navigation Menu Container for more information.



If you wish to modify the horizontal menu manually, you need to modify the template file **shoppage_header.htm** located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).

Please follow these steps below :

1. Open file **shoppage_header.htm** using text editor.
2. Locate the codes below :
<div id="vp_horomenu"><%horomenu%></div>
3. If you want to remove the horizontal menu, simply delete the codes above.
If you want to move to another position, then please move the codes above to somewhere in your site that you wish to display the box.

Note : You need to always move the whole string including the id, as the id is recognised by Layout Manager.

The id name that containing prefix “**vp_**” indicates that the object is used in Layout Manager in the administration. While id without prefix “**vp_**” would be a general CSS statement.

If you are including the whole <div id="vp_horomenu"><%horomenu%></div> rather than only <%horomenu%>, that way the Layout Manager can detect the location of the horizontal menu in the Layout Manager administration panel.

2.3.6. **Modify The Header Sub Container**

In Layout Manager, you can setup the Footer that is the section in the bottom of your site. See chapter 2.1.1.4 Header Sub Container for more information.



If you wish to modify the Header Sub Container manually, you need to modify the template file **shoppage_header.htm** located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).

Please follow these steps below :

1. Open file **shoppage_header.htm** using text editor.
2. Locate the codes below :
<div id="vp_welcomeboxstretch"><%welcomeboxstretch%></div>

3. If you want to remove the Header Sub Container , simply delete the codes above.
If you want to move to another position, then please move the codes above to somewhere in your site that you wish to display the box.


Note : You need to always move the whole string including the id, as the id is recognised by Layout Manager.

The id name that containing prefix “vp_” indicates that the object is used in Layout Manager in the administration. While id without prefix “vp_” would be a general CSS statement.

If you are including the whole <div id="vp_welcomeboxstretch"><%welcomeboxstretch%></div> rather than only <%welcomeboxstretch%>, that way the Layout Manager can detect the location of the Header Sub Container in the Layout Manager administration panel.

2.3.7. *Modify The Footer Manually*

In Layout Manager, you can setup the Header Sub Container that is the horizontal navigation menu. See chapter 2.1.5. Footer Section for more information.



If you wish to modify the Footer manually, you need to modify the template file **shoppage_trailer.htm** located in the folder “templates\default-2cols” (if you are using 2 column) or “templates\default-3cols” (if you are using 3 column).

Please follow these steps below :

1. Open file **shoppage_trailer.htm** using text editor.
2. Locate the codes below :
<div id="vp_footer"><%footer%></div>
3. If you want to remove the Footer , simply delete the codes above.
If you want to move to another position, then please move the codes above to somewhere in your site that you wish to display the footer.

Note : You need to always move the whole string including the id, as the id is recognised by Layout Manager.

The id name that containing prefix “vp_” indicates that the object is used in Layout Manager in the administration. While id without prefix “vp_” would be a general CSS statement.

If you are including the whole <div id="vp_footer"><%footer%></div> rather than only <%footer%>, that way the Layout Manager can detect the location of the Footer in the Layout Manager administration panel.

2.4 *CSS Customisation*

As to create your own and unique display for your online shop, you may need to custom modify the CSS stylesheet so that the layout and display will match your needs.

The majority of the formatting for the site is handled via CSS in the “**layout.css**” file which you can find in the “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” folder (if using 3 columns).

For the header navigation menu CSS, it is handled via CSS in the “**menu.css**” file which is the same folder as the “**layout.css**” file.

2.4.1. Change CSS for the Background of the Site

Please follow these steps below to change the CSS for the background :

1. Open file layout.css using notepad. The file is located in the “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” folder (if using 3 columns).
2. Locate these codes below :

```
body{  
    margin: 0;  
    font: 64% Arial, Verdana, sans-serif;  
    color: #5a5a5a;  
    background:#f7f7f7 url(..../images/bg.gif) repeat-x;  
}
```

Directly update the CSS inside the body {} to reflect your own background style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :

<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the background of the site to use dark grey color instead of the default background image *bg.gif*, then please update the CSS to e.g. :

```
body{  
    margin: 0;  
    font: 64% Arial, Verdana, sans-serif;  
    color: #5a5a5a;  
    background-color:#333333;  
}
```

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

2.4.2. Change CSS for the Site Width

Please follow these steps below to change the site width :

1. Open file layout.css using notepad.
2. Locate these codes below :

```
#wrap{  
    margin: 0 auto;  
    width: 780px;  
    padding:0 0 31px;  
}
```

3. Please replace the “**780px;**” to your own desired width.

For example, If you wish to set full width for the site so the browser will display your site layout in full width, then please set to **100%**, then the CSS will looks as below :

```
#wrap{  
    margin: 0 auto;  
    width: 100%;  
    padding: 0 0 31px;  
}
```

4. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

2.4.3. Change CSS for the Logo

Please follow these steps below to change the CSS of the logo :

1. Open file layout.css using notepad. The file is located in the “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” folder (if using 3 columns).
2. Locate these codes below :

```
.logo{  
    float:left;  
    overflow: hidden;  
/*  
    text-indent: -9999px;  
    background: url(..//images/logo.jpg) no-repeat;  
    width: 294px;  
    height: 95px;**/  
    margin: 24px 0 0 8px;  
}
```

Directly update the CSS inside the logo { } to reflect your own logo style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :


<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the logo to display in the top right rather than in the top left, then please update the CSS to e.g. :

```
.logo{  
    float:right;  
    overflow: hidden;  
/*  
    text-indent: -9999px;  
    background: url(..//images/logo.jpg) no-repeat;  
    width: 294px;  
    height: 95px;**/  
    margin: 24px 0 0 8px;  
}
```

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview before the changes :




After changes :



NOTE : Above preview is just an example of how to change the logo style. You can off course change any of the CSS codes inside the logo {} totally to create your styles.

2.4.4. Change CSS for the Header Top Right Container



Please follow these steps below to change the CSS of the Header Top Right Container:

1. Open file layout.css using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
2. Locate any CSS codes that contains **utility-box** as below :

```
#header .utility-box{  
    float:right;  
    width:376px;  
    margin: 0;  
    padding: 0;  
    display:inline;  
    border:0;  
}  
  
#header .utility-box td{  
    height:120px;  
}  
  
#header .utility-box .utility-box-content{  
    background-color:#585858;  
}  
  
/*START*/  
#header .utility-box .utility-box-top{  
    background-image:url(..../images/utility-box-top.gif);  
    background-repeat:no-repeat;
```

```

height:10px;
width:376px;
}

#header .utility-box .utility-box-bottom{
background-image:url(..../images/utility-box-bottom.gif);
background-repeat:no-repeat;
height:10px;
width:376px;
}

/*END*/
#header .utility-box .utility-row{
    overflow:hidden;
    font: 11px Arial, Helvetica, sans-serif;
    color:#fff;
    margin-top: 0;
    margin-right: auto;
    margin-bottom: 0;
    margin-left: auto;
    padding:5px 2px 5px 2px;
    width:350px;
}

#header .utility-box .utility-form-row{
    overflow:hidden;
    font: 11px Arial, Helvetica, sans-serif;
    color:#fff;
    margin-top: 0;
    margin-right: auto;
    margin-bottom: 0;
    margin-left: auto;
    padding:8px 2px 0 2px;
    width:363px;
}

#header .utility-box .dotline{
    background: url(..../images/utility_row_dotline.gif) no-repeat bottom center;
/*    width:356px;
    height:1px;
*/}

#header .utility-box .utility-row strong{
    float:left;
    margin: 0 0 0 2px;
}

#header .utility-box .utility-row p{
    margin:0;
    float:right;
    font: 11px Arial, Helvetica, sans-serif;
    line-height:18px;
    margin-right:5px;
}

#header .utility-box .utility-row a{color:#fff}

#header .utility-box .utility-row a:hover{text-decoration:underline}

```

```

#header .utility-box .utility-form-row .language{
    float:right;
    margin-right: 8px;
}
#header .utility-box .utility-form-row .currency{
    float:right;
    margin-right: 8px;
}
#header .utility-box .utility-form-row .search{
    float:right;
    margin-right: 8px;
}
#header .utility-box .utility-form-row select{
    color:#666;
    border:1px solid #8C9CAB;
}

```

Directly update the CSS inside the `#header .utility-box .prefix { }` to reflect your own box style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :
<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change all the text color in the box to have red color, then please update the css as below:

```

#header .utility-box .utility-row{
    overflow:hidden;
    font: 11px Arial, Helvetica, sans-serif;
    color:#FF0000;
    margin-top: 0;
    margin-right: auto;
    margin-bottom: 0;
    margin-left: auto;
    padding:5px 2px 5px 2px;
    width:350px;
}

#header .utility-box .utility-form-row{
    overflow:hidden;
    font: 11px Arial, Helvetica, sans-serif;
    color:#FF0000;
    margin-top: 0;
    margin-right: auto;
    margin-bottom: 0;
    margin-left: auto;
    padding:8px 2px 0 2px;
    width:363px;
}

#header .utility-box .utility-row a{color:#FF0000}


```

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview before the changes :



After changes :



NOTE : Above preview is just an example of how to change the text color in the box. You can off course change any of the CSS codes inside the #header .utility-box . prefix { } totally to create your styles.

2.4.5. Change CSS for the Header Navigation Menu



Please follow these steps below to change the CSS of the header navigation menu:

1. Open file **menu.css** using notepad.
Menu.css is located in the folder "**templates/default-2cols/css**" (if using 2 columns) or "**templates/default-3cols/css**" (if using 3 columns).
2. All the CSS codes inside the file is used for formatting the header navigation menu.

Directly update the CSS in the file to reflect your own horizontal menu style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :
<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the menu width to smaller size, then please update the css as below:


```
#nav {  
    height:58px;  
    width:600px;  
}
```

3. Save the file and upload to folder "**templates/default-2cols/css**" (if using 2 columns) or "**templates/default-3cols/css**" (if using 3 columns).

Preview before the changes :



After changes :



NOTE : Above preview is just an example of how to change the width of the horizontal menu. You can off course change any of the CSS codes in the file menu.css totally to create your styles.

2.4.6. Change CSS for the Left Column

Please follow these steps below to change the CSS for the left column:

1. Open file layout.css using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
2. Locate any codes that in the file that contains **side-bar** or **sidebar**.

```
***** SIDEBAR SECTION *****/
.sidebar{
    float:left;
    width:213px;
    margin:3px 6px 0px 6px;
    display:inline;
}

/* side boxes */
.sidebarcell{
    background: url(..//images/side-box-repeat.gif) repeat-y;
    overflow: hidden;
    width: 213px;
    margin-bottom: 10px;
}

.rightside-bar{
    float:left;
    width:213px;
    margin:3px 6px 0px 6px;
    display:inline;
}

#content .columns .sidebarcell .contentcell .sidocurrency{
    padding: 0px 10px 0px 10px;
    text-align:center;
    margin-bottom:10px;
}

#content .columns .sidebarcell .contentcell .sidelanguage{
    padding: 5px 10px 0px 10px;
    text-align:center;
    margin-bottom:10px;
}

.sidebarcell .contentcell .sidesearch{
    padding: 5px;
    color:#454545;
    list-style:none;
    margin:3px 3px 0;
```

```

        overflow:hidden;
        margin-bottom:10px;
    }

.sidebarcell .title{
    background: url(..../images/side-box-top.gif) no-repeat left top;
    padding: 0 9px;
    width: 213px;
/*   text-transform: uppercase; */
}
.sidebarcell .title h2{
    margin: 0;
    color: #ffffff;
    line-height: 46px;
    font: bold 12px/23px Arial, Helvetica, sans-serif;
    padding: 14px 0 6px 33px;
    text-transform:uppercase;
}

.sidebarcell .contentcell{
    background: url(..../images/side-box-bottom.gif) no-repeat left bottom;
    padding: 5px 5px 12px 5px;
    overflow: hidden;
    font: 12px/14px Arial, Helvetica, sans-serif;
    width: 203px;
}
.sidebarcell a{color:#888787;}
.sidebarcell a:hover{text-decoration:underline}

/* sidebox mini cart */
.sidebarcell .contentcell .minicart{
    padding: 0px 10px 0px 10px;
    color:#888787;
    list-style:none;
    margin:3px 3px 0;
    overflow:hidden;
    margin-bottom:10px;
}
.sidebarcell .contentcell .minicart li{
    overflow:hidden;
    width:100%;
    margin:15px 0 0;
}
.sidebarcell .contentcell .minicart li span {
    float:left;
    width:30px;
    margin: 0 5px 0 0;
}
.sidebarcell .contentcell .minicart li div { overflow: hidden}
.sidebarcell .contentcell .minicart-subtotal{
    border: 1px solid #ccc;
    background:#e4e4e4;
    padding:6px 10px 7px 10px;
    font-weight:bold;
    text-align:center;
    margin-left:auto;
    margin-right:auto;
    width: 80%;
}

```

```

}

.sidebarcell .contentcell .minicart-links {
    text-align:center;
    font-weight:bold;
    margin:7px 0 0;
}
.sidebarcell .contentcell .minicart a{ font-weight:bold; }

/* sidebox categories */
.sidebarcell .contentcell ul#catnav{
    list-style:none;
    margin:4px 24px 0 20px;
    padding:0px 0px 20px 0px;
    font: 12px/30px Arial, Helvetica, sans-serif;
}
.sidebarcell .contentcell ul#catnav li{background:url(..../images/dotted-border.gif) repeat-x 0 100%;}
.sidebarcell .contentcell ul#catnav a{
    color:#888787;
    background:url(..../images/bullet.gif) no-repeat 0 5px;
    padding: 0 0 0 15px;
    margin:0
}
.sidebarcell .contentcell ul#catnav a:hover{text-decoration:underline}

.sidebarcell .contentcell ul#noncatnav{
    margin:4px 24px 0 20px;
    padding:0px 0px 20px 0px;
    font: 12px/30px Arial, Helvetica, sans-serif;
}

.sidebarcell .contentcell .submenucatnav ul{
    list-style:none;
    margin:4px 24px 0 20px;
    padding:0px 0px 20px 0px;
    font: 12px/30px Arial, Helvetica, sans-serif;
}

/* sidebox menu list*/
.sidebarcell .contentcell ul.menulist{
    list-style:none;
    margin:4px 24px 0 20px;
    padding:0px 0px 20px 0px;
    font: 12px/30px Arial, Helvetica, sans-serif;
}
.sidebarcell .contentcell ul.menulist li{background:url(..../images/dotted-border.gif) repeat-x 0 100%;}
.sidebarcell .contentcell ul.menulist a{
    color:#888787;
    background:url(..../images/bullet.gif) no-repeat 0 5px;
    padding: 0 0 0 15px;
    margin:0
}

.sidebarcell .contentcell ul.menulist a.news_title{
    color:#676767;
    background:url(..../images/bullet.gif) no-repeat 0 5px;
    padding: 0 0 0 15px;
    margin:0;
    font-weight:bold;
}

```

```

        text-decoration:underline;
    }

.sidebarcell .contentcell ul.menulist .text_summary{
    color:#888787;
    padding: 0 0 0 15px;
    margin:0;
    line-height:normal;
    display:block;
}

.sidebarcell .contentcell ul.menulist a.detail_link{
    background:none;
    color:#ABC71C;
    padding: 0 0 10px 15px;
    margin:0;
    line-height:normal;
    display:block;
    font-weight:bold;
}

.sidebarcell .contentcell ul.menulist a:hover{text-decoration:underline}
.sidebarcell .contentcell ul#noncatnav{
    margin:4px 24px 0 20px;
    padding:0px 0px 20px 0px;
    font: 12px/30px Arial, Helvetica, sans-serif;
}

.sidebarcell .contentcell .menulist .submenulist ul{
    list-style:none;
    margin:0px 0px 0 20px;
    padding:0px 0px 10px 0px;
    font: 12px/20px Arial, Helvetica, sans-serif;
}

.sidebarcell .contentcell .menulist .submenulist li a{
    color:#888787;
    background:url(..../images/bullet.gif) no-repeat 0 5px;
    padding: 0 0 5px 15px;
    margin:0
}

.sidebarcell .contentcell .menulist .submenulist li{
    background: none;
    list-style:none;
    padding: 3px 0;
}

/* sidebox featured-product */
.sidebarcell .contentcell .featuredproduct {
    padding: 17px 12px 0px 12px;
    text-align:center;
}
.sidebarcell .contentcell .featuredproduct .image{
    display:block;
    border:1px solid #d4d4d4;
    background:#fff;
    padding: 7px 0;
}

```

```

        margin: 0 0 10px;
    }
.sidebarcell .contentcell .featuredproduct p{
    margin:4px 0;
    font: bold 12px/16px Arial, Helvetica, sans-serif;
    color:#7fa811;
}
.sidebarcell .contentcell .featuredproduct strong{
    color:#6f6f6f;
    font: bold 12px/16px Arial, Helvetica, sans-serif;
}
.sidebarcell .contentcell .featuredproduct hr {
    border: none 0;
    border-top: 1px dotted #dddddd;
    height: 1px;
    margin: 20px 10px 0px 10px;
}
.sidebarcell .contentcell .featuredproduct .btn-details{
    margin: 10px auto;
    color:#fff;
}

/* sidebox top-sellers */
.sidebarcell .contentcell .topsellers {
    padding: 17px 12px 0px 12px;
    text-align:center;
}
.sidebarcell .contentcell .topsellers .image{
    display:block;
    border:1px solid #d4d4d4;
    background:#fff;
    padding: 7px 0;
    margin: 0 0 10px;
}
.sidebarcell .contentcell .topsellers p{
    margin:4px 0;
    font: bold 12px/16px Arial, Helvetica, sans-serif;
    color:#7fa811;
}
.sidebarcell .contentcell .topsellers strong{
    color:#6f6f6f;
    font: bold 12px/16px Arial, Helvetica, sans-serif;
}
.sidebarcell .contentcell .topsellers hr {
    border: none 0;
    border-top: 1px dashed #dddddd;
    height: 1px;
    margin: 20px 10px 0px 10px;
}
.sidebarcell .contentcell .topsellers .btn-details{ margin: 10px auto; color:#fff}

/* sidebox news-box */
.sidebarcell .contentcell .newsbox{padding:6px 20px 15px}
.sidebarcell .contentcell .newsbox ul{
    list-style:none;
    margin:0;
    padding:0;
    font: 12px/14px Arial, Helvetica, sans-serif;

```

```

        color:#666;
    }
.sidebarcell .contentcell .newsbox li{
    padding:0 0 0 18px;
    background:url(..../images/bullet.gif) no-repeat 0 5px;
    margin: 9px 0 0;
}
.sidebarcell .contentcell .newsbox h3{
    font:bold 12px/14px Arial, Helvetica, sans-serif;
    color:#666;
    margin:0 0 6px;
}
.sidebarcell .contentcell .newsbox h3 a{
    text-decoration:underline;
    color:#666;
    font-size:12px;
}
.sidebarcell .contentcell .newsbox h3 a:hover{text-decoration:none;}
.sidebarcell .contentcell .newsbox p{margin:0;}
.sidebarcell .contentcell .newsbox a{
    color:#7fa811;
    font-size:11px;
    font-weight:bold;
}
.sidebarcell .contentcell .newsbox a:hover{text-decoration:underline;}

/* sidebox blog-box */
.sidebarcell .contentcell .blogbox{padding:6px 20px 15px}
.sidebarcell .contentcell .blogbox ul{
    list-style:none;
    margin:0;
    padding:0;
    font: 12px/14px Arial, Helvetica, sans-serif;
    color:#666;
}
.sidebarcell .contentcell .blogbox li{
    padding:0 0 0 18px;
    background:url(..../images/bullet.gif) no-repeat 0 5px;
    margin: 9px 0 0;
}
.sidebarcell .contentcell .blogbox h3{
    font:bold 12px/14px Arial, Helvetica, sans-serif;
    color:#666;
    margin:0 0 6px;
}
.sidebarcell .contentcell .blogbox h3 a{
    text-decoration:underline;
    color:#666;
    font-size:12px;
}
.sidebarcell .contentcell .blogbox h3 a:hover{text-decoration:none;}
.sidebarcell .contentcell .blogbox p{margin:0;}
.sidebarcell .contentcell .blogbox a{
    color:#7fa811;
    font-size:11px;
    font-weight:bold;
}
.sidebarcell .contentcell .blogbox a:hover{text-decoration:underline;}
```

```

/*sidebar info links */
.sidebarcell .contentcell .infolinks ul{
    list-style:none;
    margin:4px 24px 0 20px;
    padding:0px 0px 20px 0px;
    font: 12px/30px Arial, Helvetica, sans-serif;
}
.sidebarcell .contentcell .infolinks li{background:url(..../images/dotted-border.gif) repeat-x 0 100%;}
.sidebarcell .contentcell .infolinks a{
    color:#888787;
    background:url(..../images/bullet.gif) no-repeat 0 5px;
    padding: 0 0 0 15px;
    margin:0
}
.sidebarcell .contentcell .infolinks a:hover{text-decoration:underline}

.sidebarcell .contentcell .language{
    padding: 5px 10px 0px 10px;
    width:90%;;
    margin-bottom:10px;
}

.sidebarcell .contentcell .language .txtfielddropdown{
    background-color: #FFFFFF;
    color: #333333;
    border:1px solid #8C9CAB;
    margin-left:auto;
    margin-right:auto;
    width:90%;;
    font-size:11px;
}

#content .columns .sidebarcell .contentcell .sidefeaturedproducts{
    padding: 0px 10px 0px 10px;
    text-align:center;
    margin-bottom:10px;
    margin-top:10px;
}

/*sidebar bottom logotypes */
.side-bar .logotypes{
    list-style:none;
    margin:14px 7px 0 0;
    padding:0;
    text-align:center;
}
.side-bar .logotypes li{
    display:inline;
    margin:0 2px 0 0;
}

```

Directly update the CSS as mentioned above to reflect your own left column style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :

<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the left column so that it will display in the right side, then please update the css as below:

```
.side-bar{  
    float:right;  
    width:213px;  
    margin:3px 6px 0px 6px;  
    display:inline;  
}
```

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview before the changes :

The screenshot shows the front page of a shopping cart system. On the left side, there is a sidebar with three sections: "MINI CART", "CATEGORIES", and "SEARCH". The "MINI CART" section displays a message "Your Cart Is Empty". The "CATEGORIES" section lists categories like Dining, Donation, Kitchen, Living..., and Office. The "SEARCH" section includes a search bar with placeholder text "search this site" and a "Go" button, along with a link to "Advanced Search". The main content area features a large green header "Welcome to my Online Store". Below the header, there is a welcome message and a product image of a red sofa. Further down, there are two more sections: "News Highlights" (which says "No News") and "Blog Highlights", which contains a single item: "September Rabu 9 2009 - Welcome to our Blog!" with a link to "Read more »".

After changes :

Welcome to my Online Store

Welcome to the VP-ASP Shopping Cart!

This is the front page of your new store - you can add and edit your categories and products through the VP-ASP administration. You can also change this text in the Content section of the VP-ASP administration. You can find more information on how to customize your entire store by visiting the Help section of our website at <http://helpnotes.vpasp.com/>.



News Highlights

No News

Blog Highlights

- ▶ September Rabu 9 2009 - Welcome to our Blog!

With the new release of VPASP 700 we have included not only a News Article system but also a Blog Ma ... [Read more »](#)

»» MINI CART

Your Cart Is Empty

»» CATEGORIES

- ▶ Dining
- ▶ Donation
- ▶ Kitchen
- ▶ Living...
- ▶ Office

»» SEARCH

Go

[Advanced Search](#)

NOTE : Above preview is just an example of how to change the left column CSS to display in right panel. You can off course change any of the CSS codes totally to create your styles.

2.4.7. Change CSS for the Main Content

Please follow these steps below to change the CSS for the main content:

1. Open file layout.css using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
2. Locate any codes that in the file that contains prefix **#main** or **.main-content**:

/***** MAIN CONTENT SECTION *****/

```
#main{
    float:left;
    width:540px;
    margin:3px 0 0 0;
    padding: 0;
    font-size:12px;
}
```

```
#main h1{
    margin:10px 0 10px 0;
    background:url(..images/main-content-title.gif) no-repeat;
    font: bold 14px/18px Arial, Helvetica, sans-serif;
    color:#fff;
    padding:11px 0 11px 14px;
    text-transform: uppercase;
}
```

```
#main h1 a{
```

```

        font: bold 14px/18px Arial, Helvetica, sans-serif !important;
        color:#fff !important;
    }

#main h1 a:hover{ text-decoration: underline !important; }

#main h2{
    margin:10px 0 0;
    background:url(..../images/main-content-title.gif) no-repeat;
    font: bold 14px/18px Arial, Helvetica, sans-serif;
    color:#fff;
    padding:11px 0 11px 14px;
/*   text-transform: uppercase;*/
}

#main h2 a{
    font: bold 14px/18px Arial, Helvetica, sans-serif !important;
    color:#fff !important;
}

#main h2 a:hover{ text-decoration: underline !important; }

#main a{ color: #7fa811; }

#main a:hover{ text-decoration: underline; }

#main .product-wrapper{
    margin-top:10px;
}

#main .top-main-content-border{
}

#main .bottom-main-content-border{
}

/* main content */
.main-content{
    width:100%;
    background:url(..../images/main-box-repeat.gif) repeat-y;
}

.main-content .top{background:url(..../images/main-box-top.gif) no-repeat; }

.main-content .bottom{
    overflow:hidden;
    width:100%;
    background:url(..../images/main-box-bottom.gif) no-repeat 0 100%;
}

.main-content .text{
    float:left;
    width:500px;
    margin: 19px 0 20px 18px;
    display:inline;
}

.main-content .text h3{

```

```

font: bold 24px/30px Arial, Helvetica, sans-serif;
color:#aac717;
margin:0;
}

.main-content .text p{
font:12px/18px Arial, Helvetica, sans-serif;
color:#666;
margin:8px 0 0;
}

.main-content .image{
float:right;
width:250px;
margin: 20px 5px 0;
}

/* main news */
#main .main-news{margin:13px 0 0;}

#main .main-news ul{
list-style:none;
margin:17px 35px 0 10px;
padding:0;
font: 11px/14px Arial, Helvetica, sans-serif;
color:#666;
}

#main .main-news li{
padding:0 0 0 17px;
background:url(..../images/bullet.gif) no-repeat 0 5px;
margin:11px 0 0;
}

#main .main-news h3{
margin:0 0 8px;
font:bold 11px/14px Arial, Helvetica, sans-serif;
color:#666;
}

#main .main-news h3 a{color:#666;}

#main .main-news p{margin:4px 0; font-size:11px; }

#main .main-news a{
color:#7fa811;
font-size:11px;
}

#main .main-news a:hover{text-decoration:underline; }

#main .main-news .text-content-wrapper{
}

#main .main-news .top-content-border{
}

#main .main-news .bottom-content-border{
}

```

```

}

/* main blog */
#main .main-blog{margin:13px 0 0;}

#main .main-blog ul{
    list-style:none;
    margin:17px 35px 0 10px;
    padding:0;
    font: 11px/14px Arial, Helvetica, sans-serif;
    color:#666;
}

#main .main-blog li{
    padding:0 0 0 17px;
    background:url(..../images/bullet.gif) no-repeat 0 5px;
    margin:11px 0 0;
}

#main .main-blog h3{
    margin:0 0 8px;
    font:bold 11px/14px Arial, Helvetica, sans-serif;
    color:#666;
}
#main .main-blog h3 a{color:#666; }

#main .main-blog p{margin:4px 0; font-size:11px; }

#main .main-blog a{
    color:#7fa811;
    font-size:11px;
}
#main .main-blog a:hover{text-decoration:underline; }

#main .main-blog .text-content-wrapper{

}

#main .main-blog .top-content-border{

}

#main .main-blog .bottom-content-border{

}

/* main freetext */
#main .main-freetext{
    margin:13px 0 0;
}

#main .main-freetext ul{
    list-style:none;
    margin:17px 35px 0 10px;
    padding:0;
    font: 12px/14px Arial, Helvetica, sans-serif;
    color:#666;
}

#main .main-freetext li{
    padding:0 0 0 17px;
}

```

```

background:url(..../images/bullet.gif) no-repeat 0 5px;
margin:11px 0 0;
}

#main .main-freetext h3{
    margin:0 0 8px;
    font:bold 12px/14px Arial, Helvetica, sans-serif;
    color:#666;
}

#main .main-freetext h3 a{color:#666; }

#main .main-freetext p{margin:4px 0; font-size:11px; }

#main .main-freetext a{
    color:#92c508;
    font-size:11px;
}

#main .main-freetext a:hover{text-decoration:underline; }

/* new product */
#main .main-product ul {
    text-align:left;
}

#main .main-product .image{text-align:center; }

#main .main-product h3{
    font:bold 12px/23px Arial, Helvetica, sans-serif;
    color:#7fa811;
    background:#eaeaea;
    padding:0 10px;
    margin:0;
}

#main .main-product p{
    font: 11px/14px Arial, Helvetica, sans-serif;
    color:#666;
    margin:0px;
}

#main .main-product .info{
    border-top:1px dotted #000000; padding-top:10px; padding-bottom:5px;
}

#main .main-product .info strong{
    float:left;
    font: bold 14px/18px Arial, Helvetica, sans-serif;
    color:#6f6f6f;
    margin:15px 0px 0px 0px;
    width:45%;
}

#main .main-product .priceinfo2cols{
    float:none;
    font: 12px/18px Arial, Helvetica, sans-serif;
    color:#6f6f6f;
}

```

```

        width:45%;
        display:block;
    }

#main .main-product .info .divider-vertical {
    border-right:1px dotted #000000;
    height:50px;
    display:block;
    width:1px;
    float:left;
    margin-top:10px;
}

#main .main-product .info .divider-vertical2 {
    border-right:1px dotted #000000;
}

#main .main-product .info .info_column{
    padding-left:5px;
    padding-right:5px;
}

#main .main-product .info .input_table{
float:right;

}

#main .main-product .info .input_table td{
    text-align:right;
}

#main .main-product .btn-details{
    float:right;
    margin:5px 0;
    color:#fff !important;
}

#main .main-product .txtfield{
    margin-bottom:0;
}

#main .main-product .info .line_break{
    height:10px;
}

```

Directly update the CSS as mentioned above to reflect your own main content style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :

<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the text “**Welcome to my Online Store**” from green to black color, then please update the css as below:

```
.main-content .text h3{
    font: bold 24px/30px Arial, Helvetica, sans-serif;
    color:#000000;
    margin:0;
```

}

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview before the changes :

Welcome to my Online Store

Welcome to the VP-ASP Shopping Cart!
This is the front page of your new store - you can add and edit your categories and products through the VP-ASP administration. You can also change this text in the Content section of the VP-ASP administration. You can find more information on how to customize your entire store by visiting the Help section of our website at <http://helpnotes.vpasp.com/>.



News Highlights

No News

Blog Highlights

After changes :

Welcome to my Online Store

Welcome to the VP-ASP Shopping Cart!
This is the front page of your new store - you can add and edit your categories and products through the VP-ASP administration. You can also change this text in the Content section of the VP-ASP administration. You can find more information on how to customize your entire store by visiting the Help section of our website at <http://helpnotes.vpasp.com/>.



News Highlights

No News.

Blog Highlights

NOTE : Above preview is just an example of how to change the title color in the main content. You can off course change any of the CSS codes totally to create your styles.

2.4.8. Change CSS for the Right Column

Please follow these steps below to change the CSS for the right column:

1. Open file layout.css using notepad. The file is located in the “templates/default-3cols/css” folder.
2. Locate these codes below :

```
.rightside-bar{  
    float:left;  
    width:213px;  
    margin:3px 6px 0px 6px;  
    display:inline;  
}
```

Directly update the CSS as mentioned above to reflect your own right column style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :

<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change all the text in the right column so that it will display all in uppercase, then please update the css as below:


```
.rightside-bar{  
    float:left;  
    width:213px;  
    margin:3px 6px 0px 6px;  
    display:inline;  
    text-transform:uppercase;  
}
```

3. Save the file and upload to folder “**templates/default-3cols/css**”.

Preview before the changes :



After changes :



NOTE : Above preview is just an example of how to change all the text in right column to display in uppercase. You can off course change any of the CSS codes totally to create your styles.

2.4.9. **Change CSS for the Footer**

Please follow these steps below to change the CSS for the footer:

1. Open file layout.css using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
2. Locate any codes that in the file that contains prefix **#footer**:

```
***** FOOTER CONTENT SECTION *****

#footer{
    /*background:url(..../images/footer-bg.gif) no-repeat;*/
    padding: 0;
}
#footer .bottom-row .alphabet{
    background:url(..../images/footer-alphabet.gif) no-repeat;
    height:30px;
    text-align:center;
    padding:0;
    font: 11px/30px Arial, Helvetica, sans-serif;
    text-transform:uppercase;
    letter-spacing:5px;
    background:#fff;
    margin-bottom:20px;
}

#footer .bottom-row .alphabet .tdleft{
    background:url(..../images/alphabet_bg_left.gif) no-repeat top left;
    width:10px; height:30px;
}

#footer .bottom-row .alphabet .tdcenter{
    background:#e4e4e4;
}

#footer .bottom-row .alphabet .tdright{
    background:url(..../images/alphabet_bg_right.gif) no-repeat top right;
```

```

        width:10px; height:30px;
    }

#footer .bottom-row .alphabet a{color:#666;}

#footer .bottom-row .alphabet a:hover{text-decoration:underline;}

#footer .bottom-row{
    overflow:hidden;
    width:100%;
    font: 11px/14px Arial, Helvetica, sans-serif;
    color:#949494;
    margin:0;
    text-align:center;
}

#footer .bottom-row div{
    margin:0;
}

#footer .bottom-row .freetext{
    margin:0 auto 5px auto;
    padding:0px;
}

#footer .bottom-row .poweredby{
    margin:0 auto 5px auto;
    padding:0px;
}

#footer .bottom-row .bottomlogo{
    padding: 0px;
    margin:0 auto 5px auto;
    clear:both;
}

#footer .bottom-row .bottomlinks ul{
    list-style:none;
    margin:0 auto 5px auto;
    padding:0px;
    text-align:center;
}

#footer .bottom-row .bottomlinks li{
    display:inline;
    background:url(..../images/footer-menu--separator.gif) no-repeat 0 50%;
    padding: 0 10px 0 14px;
}

#footer .bottom-row .bottomlinks li:first-child{background:none}

#footer .bottom-row a{color:#949494;}

#footer .bottom-row a:hover{text-decoration:underline}

```

Directly update the CSS as mentioned above to reflect your own footer style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :


<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the background color of the footer so that it will have black background color, then please update the css as below:


```
#footer{
    /*background:url(..images/footer-bg.gif) no-repeat;*/
    padding: 0;
    background-color:#000000;
}
```

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview before the changes :



After changes :




NOTE : Above preview is just an example of how to change the background color in the footer. You can off course change any of the CSS codes totally to create your styles.

3. Changing the Home Page Welcome Box

The home page welcome box of your site is editable through the administration pages. To modify the main content on the home page, you will need to do the following:

1. Log into your VP-ASP administration page.
2. In the top menu select **Website**, then **Layout Manager** from the drop-down.
3. On the Layout Manager page, go to the **Body Main Content** and click **Edit**.



This page allows you to edit the content that exists on the front page of your site. You can use this to upload an image, or edit the text.

To modify the layout of the welcome box, you will need to modify the template **tmp_default.htm**. This file is located in the “**templates/default-2cols**” folder (if using 2 columns) or “**templates/default-3cols**” folder (if using 3 columns).

This file, contains the following information by default:

```
<div class="main-content">
    <div class="top">
        <div class="bottom">
            <div class="text">
                <h3>[translate message]</h3>
$           [translate message2]
$           </div>
$           <!-- main box image -->
<div class="cb"></div>
    </div>
</div>
</div>
```

The class=“**main-content**” controls the display of the welcome box as shown below:



The style “**main-content**” is stored in the css file “**layout.css**” located in the “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” folder (if using 3 columns). Simply modify the css to suit your needs.

4. Changing the Product Formatting

Every individual product record can be formatted using template files.

The display of products on **shopdisplayproducts.asp** is controlled by the **tmp_productformat.htm** file. This template file is located in “**templates/default-2cols**” (if using 2 columns) or “**templates/default-3cols**” folder (if using 3 columns).

You will note when you view this file in an HTML editor that the file consists of a table and declarations wrapped in square brackets.

Any field in the products table can be placed into your template. The field must be surrounded by square brackets, as shown in the following example.

Note: Adding a \$ symbol at the very start of the line in a template tells VP-ASP not to display anything on that line if there is nothing in that field.

For example:

```
<p align=center>
<a href="shopexd.asp?id=[catalogid]">
$ </a>
<br /><a href="shopexd.asp?id=[catalogid]">Click here</a>
</p>
```

You cannot place any ASP code in the template files. If you wish to display something in your template that requires more than a lookup of the product table, you will need to develop a special routine that is also surrounded in square brackets.

VP-ASP has a number of these in place by default. Eg [FORMATHYPERLINKS SUB] which generates reviews and tell a friend hyperlinks.

PRODUCT EXTENDED PAGE (SHOPEXD.ASP)

The display of products on **shopexd.asp** is very similar to those displayed on **shopdisplayproducts.asp** except in this instance the template used is **tmp_product.htm**. This template file is located in the “**templates/default-2cols**” (if using 2 columns) or “**templates/default-3cols**” folder (if using 3 columns).

You will note that this page must include declarations to load the **shoppage_header.htm** and **shoppage_trailer.htm** files if you wish for the extended description page to retain the look of the rest of your site.

This can be accomplished with the special keywords **[ADD_PAGEHEADER]** and **[ADD_PAGETRAILER]**. These should be the first and last lines respectively of this file.

For more information about displaying your products using templates, please refer to section 4.16.5. **Template Display** of the VP-ASP 7.00 User Manual.

PRODUCT DISPLAY PAGE (SHOPDISPLAYPRODUCTS.ASP)

By default **shopdisplayproducts.asp** will display your products in one column. This is related to the config “**xproductcolumns**” with value 1 as default and all the template configurations should use default templates.

Classic Wood Dining Table



Code: DPL-WOOD Price : US\$180.00

The latest in style dining table perfect for your home.

[click to see more](#)
[Save wishlist](#)
[Add to comparison chart](#)
[View Comparison Chart](#)

Modern Dining Table



Code: DPL-GLASS Price : US\$300.00


This glass table will compliment any dining room.

[click to see more](#)
[Save wishlist](#)
[Add to comparison chart](#)
[View Comparison Chart](#)

Below is the list of templates for **one column product display** by default :

| | |
|--|-----------------------------|
| xproductdisplaytemplate (for normal product) | tmp_productformat.htm |
| xproductdisplaytemplateinvent (for sub product) | tmp_productformatinvent.htm |
| xgiftdisplaytemplate (for gift product) | tmp_giftformat.htm |
| xbundleddisplaytemplate (for bundle product) | tmp_bundledformat.htm |

If you want to display your products in a **two column product display** list, you need to set the config “**xproductcolumns**” value to 2 from your administration.



Classic Wood Dining Table
The latest in style dining table perfect for your home.

US\$180.00

[Save wishlist](#)
[Add to comparison chart](#)
[View Comparison Chart](#)

Modern Dining Table
This glass table will compliment any dining room.

US\$300.00

[Save wishlist](#)
[Add to comparison chart](#)
[View Comparison Chart](#)

Please follow these steps below to use **two column product display**:

1. Login to your VP-ASP Control Panel.
2. In the top, go to : Advanced Settings » Software Configuration
3. Search for : **xproductcolumns**
4. Set this value to : **2**
5. Click Continue.

Then you need to also set the template config value to use two column template, as below :

| | |
|--|--------------------------------------|
| xproductdisplaytemplate (for normal product) | tmp_2_column_productformat.htm |
| xproductdisplaytemplateinvent (for sub product) | tmp_2_column_productformatinvent.htm |
| xgiftdisplaytemplate (for gift product) | tmp_2_column_giftformat.htm |
| xbundleddisplaytemplate (for bundle product) | tmp_2_column_bundledformat.htm |

5. Changing the Category Formatting

If you want more control over how your categories are displayed, it is possible to replace the default formatting of categories with your own unique HTML using templates. A template can be created using your favorite editor and is simply plain HTML with the addition of some special syntax that tells VP-ASP where it needs to fill in information from the database.

VP-ASP's default categories template is **tmp_categorytemplate.htm**. This file is located in the “**templates/default-2cols**” (if using 2 columns) or “**templates/default-3cols**” folder (if using 3 columns).

Any field in the categories table can be placed into your template. The field must be surrounded by square brackets, for example [catmemo] as shown in the following example.

```
<div id="categorysummary" >
<table width="100%" border="0" cellspacing="0" cellpadding="0" >
<tr>
  <td class="box-top-left"></td>
  <td class="box-border-top"></td>
  <td class="box-top-right"></td>
</tr>
<tr>
  <td class="box-border-left">&nbsp;</td>
  <td>
    <div class="category_container">

[FormatImage SUB]

</div>

<span class="cattitle" style="display:block; text-align:center;">
[FORMATHYPERLINKS SUB]
[AddNumberSubCats SUB]
</span>

$ <p class="catmemo">[catmemo]</p>

</td>
  <td class="box-border-right">&nbsp;</td>
</tr>
<tr>
  <td class="box-bottom-left"></td>
  <td class="box-border-bottom"></td>
  <td class="box-bottom-right"></td>
</tr>
</table>
</div>
```

Note: Adding a \$ symbol at the very start of the line in a template tells VP-ASP not to display anything on that line if there is nothing in that field.

For more information about using templates to display categories, please refer to section 4.15.2. **Category Display with Templates** of the VP-ASP 7.00 User Manual.

6. Changing the Format of Static HTML Generated Files

It is possible to generate static HTML pages of your categories and products directly from the VP-ASP database, which can be useful in allowing search engines to index your entire product range.

To setup this, please follow these steps below :

1. Login to your VP-ASP administration.
2. In the top menu select **Modules**, then **SEO** from the drop-down.

This function uses special templates to generate the overall look of the static HTML pages.

The templates used for Static HTML are located in the folder “**templates/default-2cols**” (if using 2 columns) or “**templates/default-3cols**” folder (if using 3 columns).

Below is the templates used for Static HTML:

| | |
|--------------------------------|---------------|
| tmp_generate.htm | Products file |
| tmp_generateheader.htm | Header file |
| tmp_generatetrailer.htm | Footer file |

You can modify the look of these 3 files above to suit your needs.

Please note that the tmp_generateheader.htm and tmp_generatetrailer.htm files cannot have any dynamic code listed in them.

It is often best to view the source of your home page, and copy the code from here into your tmp_generateheader.htm and tmp_generatetrailer.htm files to ensure that the links for your side category menu and other dynamic items are carried across to your static pages.

The file tmp_generate.htm is used to format the display of the individual products. Only fields in the products table can be contained in this file (in the square bracket notation [cname]), but it can also include images, descriptions and links to other pages.

7. Changing the look of shopaddtocart.asp page

If you need to change the look of shopaddtocart.asp page, you can modify the file **shopaddtocartdesign.asp** located in your root folder of your VP-ASP 7.00 installed location as most of design parts is located in the file.

Home » View Cart

VIEW CART

Shopping Cart Items: 1

| Remove | Description | Quantity | Unit Price | Total |
|--------------------------|--|----------|------------|------------|
| <input type="checkbox"/> | Classic Wood Dining Table The latest in style dining table perfect for your home. | 1 | US\$180,00 | US\$180,00 |

Product Cost US\$180,00

Continue **Recalculate** **Checkout**

These are your current items in your shopping cart. You can alter the quantity and then click ReCalculate. To delete an item, click the check box and then ReCalculate.

However, to cover all parts that is needed to change the look of the whole shopaddtocart.asp page, we will explain further in the sub chapters below.

7.1 Modify the Look of Checkout Step Indicator



Please read the VP-ASP 7.00 User Guide chapter **4.23 Checkout Steps Indicator** for more information about how to setup Checkout Step Indicator before you modify this.

Basically to change the design of the Checkout Step Indicator will just need to upload your own image to replace the existing image.

Please follow the steps below to upload your own checkout step indicator image for the shopaddtocart.asp :

1. Login to your VP-ASP administration.
2. Go to : Misc > Edit Tables.
3. Select “**checkoutsteps**” in the dropdowns.
4. Click Edit Table.
5. Click Edit for the **View Cart**.
6. In the “**stepimage**”, click **Upload image**.
7. Browse to your own created image.
Note : Make sure you create your own image as like in 1_view_cart.gif (default image) but with your own style.
8. Click **Update record**.

7.2 Modify the Look of View Cart Title

VIEW CART

To edit the look of **View Cart** title in the shopaddtocart.asp, please follow these steps below:

1. Open file **layout.css** using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
2. Locate these codes below :

```
#main h1{  
    margin:10px 0 10px 0;  
    background:url(..../images/main-content-title.gif) no-repeat;  
    font: bold 14px/18px Arial, Helvetica, sans-serif;  
    color:#fff;  
    padding:11px 0 11px 14px;  
    text-transform: uppercase;  
}
```

Directly update the CSS as mentioned above to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :
<http://www.w3schools.com/Css/default.asp>

Note : Changing the #main h1 style will also update the entire h1 style globally that is used in your site.

For example, if you wish to change the background color to white and to use title color in green, then please update the css as below:

```
#main h1{  
    margin:10px 0 10px 0;  
    font: bold 14px/18px Arial, Helvetica, sans-serif;  
    color:green;  
    padding:11px 0 11px 14px;  
    text-transform: uppercase;  
}
```

VIEW CART

Shopping Cart Items: 1

| Remove | Description | Quantity | Unit Price | Total |
|--------------------------|--|----------|------------|--------------|
| <input type="checkbox"/> | Classic Wood Dining Table The latest in style dining table perfect for your home. | 10 | US\$180,00 | US\$1,800,00 |
| Product Cost | | | | US\$1,800,00 |

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

7.3 Modify the Look of View Cart content

This section will explain to you on how to change the look of the following section :

- Shopping Cart Items title
- Cart table

- Continue / Recalculate / Checkout button
- Bottom text e.g. These are your current items in your shopping cart...

Shopping Cart Items: 1

| Remove | Description | Quantity | Unit Price | Total |
|--------------------------|--|----------|--------------|--------------|
| <input type="checkbox"/> | Classic Wood Dining Table The latest in style dining table perfect for your home. | 10 | US\$180,00 | US\$1,800,00 |
| | | | Product Cost | US\$1,800,00 |
| | | | | |

Continue **Recalculate** **Checkout**

These are your current items in your shopping cart. You can alter the quantity and then click ReCalculate. To delete an item, click the check box and then ReCalculate.

To change the look of the title "Shopping Cart Items: 1", please follow these steps below:

1. Open file **shopaddtocartdesign.asp** using notepad.
2. Locate these codes below :

```
<%=CartHeaderFont%><%=GetLang("langCart01")%> <%=totalcartquantity%><%=CartHeaderEnd%>
```

Note :

The codes above is used to print out the information : **Shopping Cart Items: 1**

Variable **CartHeaderFont** and **CartHeaderEnd** are stored in file **shop\$colors.asp** which is located in the "**config**" folder.

To edit the styles for **CartHeaderFont** and **CartHeaderEnd**, please follow these steps :

- a. Open file **shop\$colors.asp** using notepad.
- b. Locate these codes below :

```
Const CartHeaderfont=<span class='fontbold carttitle'>
Const CartHeaderEnd=</span>"
```
- c. Update the variables above to your own HTML or CSS style.

For example, if you wish to display with font Arial and size 20px, then please change the above codes to :

```
Const CartHeaderfont=<span style='font-family:arial;font-size:20px;'>
Const CartHeaderEnd=</span>"
```

- d. Save the file and upload to your site.

Next, **GetLang("langCart01")** is used to display the text : **"Shopping Cart Items:"**

The caption is stored in the languages table. If you wish to change the wording, then simply refer to VP-ASP 7.00 User Manual chapter **12.1.3. Changing language values** on how to change the language value.

While **totalcartquantity** is used to display the total number of cart items.

If you wish to modify the style of **totalcartquantity**, for example you want to display in bold. Then your codes can be as below :

```
<%=CartHeaderFont%><%=GetLang("langCart01")%><B><%=totalcartquantity%></B><%=CartHeaderEnd%>
```

3. After you have modified the above changes, save the file and upload to your site.

Below is the preview of the example :

Shopping Cart Items: 1

| Remove | Description | Quantity | Unit Price | Total |
|--------------------------|--|--------------|------------|------------|
| <input type="checkbox"/> | Classic Wood Dining Table The latest in style dining table perfect for your home. | 3 | US\$180,00 | US\$540,00 |
| | | Product Cost | US\$540,00 | |
| | | | | |

To change the look of the cart table, please follow these steps below:

1. Open file **shopcartformatdesign.asp** using notepad.
2. The codes explained below are used to format the following :

To format the titles in the table, please locate these codes below :

```
sub DisplayTitle (percent, titlename)
    HtmlWrite CartTitleColumn & TitleName & CartTitleColumnEnd
end sub
```

Note :

Variable **CartTitleColumn** and **CartTitleColumnEnd** are stored in file **shop\$colors.asp** which is located in the “**config**” folder.

To edit the styles for **CartTitleColumn** and **CartTitleColumnEnd**, please follow these steps :

- a. Open file **shop\$colors.asp** using notepad.
- b. Locate these codes below :


```
Const CartTitleColumn="<th class=""menuhdr"">
Const CartTitleColumnEnd="</th>"
```
- c. Update the variables above to your own HTML or CSS style. In the codes above, you can see that the variable is using CSS class called “**menuhdr**”. To edit the CSS class “**menuhdr**”, simply follow these steps below :
 - c.1. Open file **shop700.css** using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
 - c.2. Locate these codes below :

```
.menuhdr{
    background-color: #B3B7BB;
    color : White;
    font-size : 11px;
    font-weight : bold;
    padding : 3px 5px;
    text-align : left;
}
```

- c.3. Update the CSS codes above to suit your own styles.
For example, if you wish the change the background color of the table title to black color, then please update the CSS to :

```
.menuhdr{
    background-color: #000000;
    color : White;
    font-size : 11px;
    font-weight : bold;
```

```

padding : 3px 5px;
text-align : left;
}

```

Preview of the example above:

| Remove | Description | Quantity | Unit Price | Total |
|--------------------------|--|----------|--------------|------------|
| <input type="checkbox"/> | Classic Wood Dining Table The latest in style dining table perfect for your home. | 3 | US\$180,00 | US\$540,00 |
| | | | Product Cost | US\$540,00 |
| | | | | |

To format the records below the titles in the table, please locate these sub routines below in the file **shopcartformatdesign.asp**:

```

sub AddField
sub AddQuantity
sub AddRemoveBox

```

You can edit the any HTML codes inside the sub routines mentioned above.

If you need to modify the CSS that is used in formatting the cart records, Css class is "**item_row**". To edit the styles CSS used for formatting cart records, please follow these steps :

1. Open file **shop700.css** using notepad. The file is located in the "templates/default-2cols/css" (if using 2 columns) or "templates/default-3cols/css" folder (if using 3 columns).

2. Locate these codes below :

```
.item_row{ padding: 10px 10px 0 0; font-size:11px;}
```

3. Update the CSS codes above to suit your own styles.

For example, if you wish the change the font color of the cart records to white color and background to blue color, then please update the CSS to :

```
.item_row{ padding: 10px 10px 0 0; font-size:11px;color:white;background-color:#0033FF;}
```

Preview of the example above:

| Remove | Description | Quantity | Unit Price | Total |
|--------------------------|--|----------|--------------|--------------|
| <input type="checkbox"/> | Classic Wood Dining Table The latest in style dining table perfect for your home. | 16 | US\$180,00 | US\$2.880,00 |
| | | | Product Cost | US\$2.880,00 |
| | | | | |

Now, we will try to change the look of the buttons in the shopaddtocart.asp. By default, the three buttons show in the page can be setup from the administration.

Continue **Recalculate** **Checkout**

For button **Continue**, it is using image that setup in the config "**xbuttoncontinueshopping**". The default image used for this is : templates/default-2cols/images/continue-btn.gif You can upload your own image to replace this.

To update your own image button to replace the button Continue, please follow these steps below :

1. Upload your own created button image to the folder : templates/default-2cols/images (if using 2 columns) or templates/default-3cols/images (if using 3columns).
2. Login to your VP-ASP Control Panel.
3. Go to Advanced Settings > Software Configurations.
4. Search for **xbuttoncontinueshopping**.
5. Enter value e.g. : templates/default-2cols/images/yourownimage1.gif (if using 2 columns) OR templates/default-3cols/images/yourownimage.gif (if using 3 columns).
6. Click Continue.

For button **Recalculate**, it is using image that setup in the config “**xbuttonrecalculate**”.
The default image used for this is : templates/default-2cols/images/recalculate-btn.gif
You can upload your own image to replace this.

To update your own image button to replace the button Recalculate, please follow these steps below :

1. Upload your own created button image to the folder : templates/default-2cols/images (if using 2 columns) or templates/default-3cols/images (if using 3columns).
2. Login to your VP-ASP Control Panel.
3. Go to Advanced Settings > Software Configurations.
4. Search for **xbuttonrecalculate**.
5. Enter value e.g. : templates/default-2cols/images/yourownimage2.gif (if using 2 columns) OR templates/default-3cols/images/yourownimage.gif (if using 3 columns).
6. Click Continue.

For button **Checkout**, it is using image that setup in the config “**xbuttoncheckout**”.
The default image used for this is : templates/default-2cols/images/checkout-btn.gif
You can upload your own image to replace this.

To update your own image button to replace the button Recalculate, please follow these steps below :

1. Upload your own created button image to the folder : templates/default-2cols/images (if using 2 columns) or templates/default-3cols/images (if using 3columns).
 2. Login to your VP-ASP Control Panel.
 3. Go to Advanced Settings > Software Configurations.
 4. Search for **xbuttoncheckout**.
 5. Enter value e.g. : templates/default-2cols/images/yourownimage3.gif (if using 2 columns) OR templates/default-3cols/images/yourownimage.gif (if using 3 columns).
 6. Click Continue.
-
3. After you have modified any of the above changes, please save the file and upload to your site.

Now we will try to change the look of the text in the bottom which is displayed as :

These are your current items in your shopping cart. You can alter the quantity and then click ReCalculate. To delete an item, click the check box and then ReCalculate.

To change the look of bottom text in the shopaddtocart.asp, please follow these steps below:

1. Open file **Shopaddtocartdesign.asp** using notepad.

2. Locate these codes below :

```
<%=CartInfoFont%><p><%=GetLang("langCart02")%></p><%=CartInfoFontEnd%>
```

3. Simply change the codes above to suit you own styles.

Note :

Variable **CartInfoFont** and **CartInfoFontEnd** are stored in file **shop\$colors.asp** which is located in the “**config**” folder.

To edit the styles for **CartInfoFont** and **CartInfoFontEnd**, please follow these steps :

- a. Open file **shop\$colors.asp** using notepad.

- b. Locate these codes below :

```
Const CartInfoFont=""  
Const CartInfoFontEnd=""
```

- c. Update the variables above to your own HTML style.

For example, if you wish the change the font color to green color and bold, then please update the codes above to e.g. :

```
Const CartInfoFont=<span style='color:green;'><B>"  
Const CartInfoFontEnd=</B></span>"
```

Preview of the example above:

These are your current items in your shopping cart. You can alter the quantity and then click ReCalculate. To delete an item, click the check box and then ReCalculate.

8. Changing the look of shopcustomer.asp page

If you need to change the look of shopcustomer.asp page, you can modify the file **shopcustomerdesign.asp** located in your root folder of your VP-ASP 7.00 installed location as most of design parts is located in the file.

The screenshot shows the 'Customer Information' section of the VP-ASP 7.00 Customer Information page. At the top, there is a navigation bar with icons for View Cart, Sign In, Create Order, Checkout, and Thank You. Below the navigation bar, a message box displays the text: "Please select a Shipping Method" and "If shipping to a location other than your customer address, please fill in all fields". A 'Continue' button is located at the bottom right of this message box. The main form area is titled "Customer Information" and contains the following fields:

| Field | Value |
|--------------|-------------------|
| * First Name | vpasp |
| * Last Name | vpasp |
| * Address | test |
| * City | test |
| * State | Arizona |
| * Zip Code | test |
| * Phone | test |
| * Email | testing@vpasp.com |
| Country | United States |

However, to cover all parts that is needed to change the look of the whole shopcustomer.asp page, we will explain further in the sub chapters below.

8.1 Modify the Look of Checkout Step Indicator



Please read the VP-ASP 7.00 User Guide chapter **4.23 Checkout Steps Indicator** for more information about how to setup Checkout Step Indicator before you modify this.

Basically to change the design of the Checkout Step Indicator will just need to upload your own image to replace the existing image.

Please follow the steps below to upload your own checkout step indicator image for the shopcustomer.asp :

1. Login to your VP-ASP administration.
2. Go to : Misc > Edit Tables.
3. Select “**checkoutsteps**” in the dropdowns.
4. Click Edit Table.
5. Click Edit for the **Sign In**.

6. In the “**stepimage**”, click **Upload image**.

7. Browse to your own created image.

Note : Make sure you create your own image as like in 2_sign_in.gif (default image) but with your own style.

8. Click **Update record**.

8.2 Modify the Look of Customer Information Title

CUSTOMER INFORMATION

To edit the look of **Customer Information** title in the shopcustomer.asp, please follow these steps below:

1. Open file **layout.css** using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
2. Locate these codes below :

```
#main h1{  
    margin:10px 0 10px 0;  
    background:url(..../images/main-content-title.gif) no-repeat;  
    font: bold 14px/18px Arial, Helvetica, sans-serif;  
    color:#fff;  
    padding:11px 0 11px 14px;  
    text-transform: uppercase;  
}
```

Directly update the CSS as mentioned above to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :

<http://www.w3schools.com/Css/default.asp>

Note : Changing the #main h1 style will also update the entire h1 style globally.

For example, if you wish to change the background color to white and to use title color in green, then please update the css as below:

```
#main h1{  
    margin:10px 0 10px 0;  
    font: bold 14px/18px Arial, Helvetica, sans-serif;  
    color:green;  
    padding:11px 0 11px 14px;  
    text-transform: uppercase;  
}
```

CUSTOMER INFORMATION

Please select a Shipping Method
If shipping to a location other than your customer address, please fill in all fields

Continue

Customer Information

* First Name

vpasp

- Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

8.3 Modify the Look of Customer Information Content

This section will explain to you on how to change the look of the following section :

- Tex in the top e.g. Please select a Shipping Method etc...
- **Continue** button
- Title styling e.g. Customer Information, Shipping Information, Order Comments and Special Requests, Enter your gift certificate here, Enter your coupon name to receive a discount header
- The fields styling e.g. first name, last name,etc

To change the look of the text in the top e.g. the text “Please select a Shipping Method etc...”, please follow these steps below:

1. Open file **shopcustomerdesign.asp** using notepad.
2. Locate these codes below :
sub AddInformationTable

This sub routine is used to display any additional information in the top of the shopcustomer.asp page. If you have HTML/CSS knowledge, you can modify the styling for the codes.

For example you can add your own style in the existing codes below :
HtmIWrite "<p class=""ac"">" & largeinfofont

Say we want to format it so that the text will display in bigger fonts, then please modify it to :
HtmIWrite "<p class=""ac"" style=""font-size:16px;">" & largeinfofont

Preview of the example above:

Next, in the sub routine AddInformationTable, you can also find these codes below:
ShopWriteHeader GetLang("langShip01") & "
" & GetLang("langShip02")

GetLang("langShip01") is used to display the text : “**Please select a Shipping Method**”
GetLang("langShip02") is used to display the text : “**If shipping to a location other than your customer address, please fill in all fields**”

The captions are stored in the languages table. If you wish to change the wording, then simply refer to VP-ASP 7.00 User Manual chapter **12.1.3. Changing language values** on how to change the language value.

You can also modify the CSS that is stored in the file **layout.css**. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).

Please follow these steps below to modify the CSS that is used for the text :

2.a. Open file layout.css using notepad.

2.b. Locate these codes below :

```
.noproductmessage{  
    padding:10px;  
    border:1px solid #cccccc;  
    margin-top:20px;  
    text-align:center;  
    background-color:#f8f8f8;  
}
```

Directly update the CSS inside the noproductmessage { } to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :

<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the background to use black color and text to use green color, then please update the CSS to e.g. :

```
.noproductmessage{  
    padding:10px;  
    border:1px solid #cccccc;  
    margin-top:20px;  
    text-align:center;  
    background-color:black;  
    color:green;  
}
```

2.c. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview of the sample above :

Please select a Shipping Method
If shipping to a location other than your customer address, please fill in all fields

3. Save the file and upload to your site.

Now, we will try to change the look of the **Continue** button in the shopcustomer.asp page.

Continue

1. Open file **shopcustomerdesign.asp** using notepad.

2. Locate these codes below :

```
sub AddSubmitButton  
    HtmlWrite "<div class=""std_table ar"">"  
    ShopButton GetConfig("xbuttoncontinue"),trim(GetLang("langCommonContinue")),""
```

```
    HtmlWrite "</div>"  
end sub
```

This sub routine is used to display Continue button in the shopcustomer.asp page.
If you have HTML/CSS knowledge, you can modify the styling for the codes.

For example if you wish to display additional text e.g “Press the Continue button in the right to move to next step” in the line of the Continue button , then please modify the codes to e.g. :

```
sub AddSubmitButton  
    HtmlWrite "<div class=""std_table ar"">Press the Continue button in the right to move to next step"  
    ShopButton GetConfig("xbuttoncontinue"),trim(GetLang("langCommonContinue")),""  
    HtmlWrite "</div>"  
end sub
```

Preview of the example above:



Next, in the sub routine AddSubmitButton, you can also find these codes below:
ShopButton GetConfig("xbuttoncontinue"),trim(GetLang("langCommonContinue")),""

GetLang("langCommonContinue ") is used to display the text : “**Continue**”

The caption is stored in the languages table. If you wish to change the wording, then simply refer to VP-ASP 7.00 User Manual chapter **12.1.3. Changing language values** on how to change the language value.

You can also modify the CSS for the button area. It is stored in the file **shop700.css**. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).

Please follow these steps below to modify the CSS that is used for the text :

2.a. Open file shop700.css using notepad.

2.b. Locate these codes below :

```
.std_table {  
    background:#F1F1F1;  
    border:1px solid #C3C6CD !important;  
    margin-bottom:10px;  
    padding:5px;  
    text-align:left;  
    vertical-align:top;  
    line-height:20px;  
    font-size:11px;  
/*    overflow:auto;*/  
}  
  
.submitbtn{  
    background:#636463;  
    border:1px solid #cccccc;  
    font:bold 11px Arial, Helvetica, sans-serif;  
    color:#fff;  
    text-align:center;  
/*height:21px !important;*/  
    cursor: pointer;  
    padding-left:5px;  
    padding-right:5px;
```

}

Directly update the CSS inside the std_table { } and submitbtn { } to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :
<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the background to use black color and also you may wish to change to button to red, then please update the CSS to e.g. :

```
.std_table {  
    background:black;  
    border:1px solid #C3C6CD !important;  
    margin-bottom:10px;  
    padding:5px;  
    text-align:left;  
    vertical-align:top;  
    line-height:20px;  
    font-size:11px;  
/*    overflow:auto;*/  
}  
  
.submitbtn{  
    background:red;  
    border:1px solid #cccccc;  
    font:bold 11px Arial, Helvetica, sans-serif;  
    color:#fff;  
    text-align:center;  
/*height:21px !important;*/  
    cursor: pointer;  
    padding-left:5px;  
    padding-right:5px;  
}
```

Note : The css class **submitbtn** is used globally in the site. If you change the look of the submit button, the style will also affecting the other submit buttons used in the site.

2.c. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview of the sample above :

Continue

3. Save the file and upload to your site.

Now we will try to change the look of the title e.g. Customer Information, Shipping Information, Order Comments and Special Requests, Enter your gift certificate here, Enter your coupon name to receive a discount.

| |
|-----------------------------|
| Customer Information |
| Shipping Information |

Order Comments and Special Requests

Enter your gift certificate here

Enter your coupon name to receive a discount

To change the look of header text above, please follow these steps below:

1. Open file **layout.css** using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
2. Locate these codes below :

```
.comment_title{  
background:url(..../images/comment_title_tab_bg.gif) no-repeat center top ;  
width:465px; height:26px;  
padding:10px 15px 0;  
margin:0 auto;  
}
```

Directly update the CSS inside the comment_title { } to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :

<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the font to use red color, then please update the CSS to e.g. :

```
.comment_title{  
background:url(..../images/comment_title_tab_bg.gif) no-repeat center top ;  
width:465px; height:26px;  
padding:10px 15px 0;  
margin:0 auto;  
color:red;  
}
```

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview of the sample above :

Customer Information

Shipping Information

Order Comments and Special Requests

Enter your gift certificate here

Enter your coupon name to receive a discount

Now we will try to change the look of the fields e.g. first name, last name, shipping method, ship to name, etc.

To change the look of header text above, please follow these steps below:

1. Open file **layout.css** using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
 2. Locate these codes below :

```
.comment_text{  
    border:1px solid #cccccc;  
    border-top:none;
```

```

width:463px;
padding:10px;
margin:0 auto;
}

```

Directly update the CSS inside the `comment_text { }` to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :
<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the font to use white color and background to use black color, then please update the CSS to e.g. :

```

.comment_text{
    border:1px solid #cccccc;
    border-top:none;
    width:463px;
    padding:10px;
    margin:0 auto;
    color:white;
    background-color:black;
}

```

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview of the sample above :

| | |
|----------------------------------|--------------------------|
| * First Name | vpasp |
| * Last Name | vpasp |
| * Address | test |
| * City | test |
| * State | Arizona |
| * Zip Code | test |
| * Phone | test |
| * Email | testing@vpasp.com |
| Country | United States |
| Company | test |
| Join our mailing List | <input type="checkbox"/> |
| How did you hear about us? | Select |
| Copy billing details to shipping | <input type="checkbox"/> |


| | |
|-------------------|--|
| * Shipping Method | Normal [US\$3,00] <input type="button" value="▼"/> |
| Ship to Name | <input type="text"/> |
| Address | <input type="text"/> |
| City | <input type="text"/> |
| State | Select <input type="button" value="▼"/> |
| Zip Code | <input type="text"/> |
| Country | Select <input type="button" value="▼"/> |
| Company | <input type="text"/> |

| | |
|----------------------|--|
| <input type="text"/> | |
|----------------------|--|

| | |
|------------------|----------------------|
| Gift Certificate | <input type="text"/> |
|------------------|----------------------|

| | |
|-----------------|----------------------|
| Coupon Discount | <input type="text"/> |
|-----------------|----------------------|

9. Changing the look of shopcreateorder.asp page



The screenshot shows the VP-ASP 7.00 Order Details page. At the top, there is a breadcrumb navigation: Home » Order Details. Below it is a horizontal navigation bar with five items: View Cart, Sign In, **Create Order**, Checkout, and Thank You. The 'Create Order' item is highlighted with a yellow background. The main content area has a dark grey header bar with the text 'ORDER DETAILS'. Below this, a message box contains the text: 'You will now be directed to enter your payment details. Payment may be made by credit card or check.' To the right of this message is a large 'Order now!' button. The main table displays a single item: 'Classic Wood Dining Table'. The table has columns for Edit, Description, Quantity, Unit Price, and Total. The 'Edit' column for the table row is also highlighted with a yellow background. The table shows the following data:

| Edit | Description | Quantity | Unit Price | Total |
|-------------|--|---------------|-------------------|------------|
| Edit | Classic Wood Dining Table The latest in style dining table perfect for your home. | 1 | US\$180,00 | US\$180,00 |
| | | Product Cost | US\$180,00 | |
| | | Shipping Cost | US\$3,00 | |
| | | Total | US\$183,00 | |

At the bottom left is a 'Customer Information' button, and at the bottom right is an 'Edit' button.

To cover all parts that is needed to change the look of the whole shopcreateorder.asp page, we will explain further in the sub chapters below.

9.1 Modify the Look of Checkout Step Indicator



Please read the VP-ASP 7.00 User Guide chapter **4.23 Checkout Steps Indicator** for more information about how to setup Checkout Step Indicator before you modify this.

Basically to change the design of the Checkout Step Indicator will just need to upload your own image to replace the existing image.

Please follow the steps below to upload your own checkout step indicator image for the shopcreateorder.asp :

1. Login to your VP-ASP administration.
2. Go to : Misc > Edit Tables.
3. Select “**checkoutsteps**” in the dropdowns.
4. Click Edit Table.
5. Click Edit for the **Create Order**.
6. In the “**stepimage**”, click **Upload image**.
7. Browse to your own created image.

Note : Make sure you create your own image as like in 3_create_order.gif (default image) but with your own style.

8. Click **Update record**.

9.2 Modify the Look of Order Details Title

ORDER DETAILS

To edit the look of **Order Details** title in the shopcreateorder.asp, please follow these steps below:

1. Open file **layout.css** using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
2. Locate these codes below :

```
#main h1{  
    margin:10px 0 10px 0;  
    background:url(..../images/main-content-title.gif) no-repeat;  
    font: bold 14px/18px Arial, Helvetica, sans-serif;  
    color:#fff;  
    padding:11px 0 11px 14px;  
    text-transform: uppercase;  
}
```

Directly update the CSS as mentioned above to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :
<http://www.w3schools.com/Css/default.asp>

Note : Changing the #main h1 style will also update the entire h1 style globally in your site.

For example, if you wish to change the background color to white and to use title color in green, then please update the css as below:

```
#main h1{  
    margin:10px 0 10px 0;  
    font: bold 14px/18px Arial, Helvetica, sans-serif;  
    color:green;  
    padding:11px 0 11px 14px;  
    text-transform: uppercase;  
}
```

Preview of the example above:

ORDER DETAILS

You will now be directed to enter your payment details.
Payment may be made by credit card or check.

| Order now! | | | | |
|------------|--|----------|------------|------------|
| Edit | Description | Quantity | Unit Price | Total |
| Edit | Classic Wood Dining Table The latest in style dining table perfect for your home. | 1 | US\$180,00 | US\$180,00 |
| | Product Cost | | US\$180,00 | |
| | Shipping Cost | | US\$3,00 | |
| | Total | | US\$183,00 | |

- Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

9.3 Modify the Look of Order Details Content

This section will explain to you on how to change the look of the following section :

- Additional text in the top e.g. You will now be directed to enter your payment details...
- Cart table
- Records below the titles in the cart table e.g. first name, last name,etc ..
- Order Now / Edit button

You will now be directed to enter your payment details.
Payment may be made by credit card or check.

| | | | | | Order now! |
|-------------|--|----------|---------------|-------------------|-------------------|
| Edit | Description | Quantity | Unit Price | Total | |
| Edit | Classic Wood Dining Table The latest in style dining table perfect for your home. | 1 | US\$180,00 | US\$180,00 | |
| | | | Product Cost | US\$180,00 | |
| | | | Shipping Cost | US\$3,00 | |
| | | | Total | US\$183,00 | |

| Customer Information | | Edit |
|----------------------|-------------------|-------------|
| First Name | vpasp | |
| Last Name | vpasp | |
| Address | test | |
| City | test | |
| State | AZ | |
| Zip Code | test | |
| Country | US | |
| Email | testing@vpasp.com | |
| Phone | test | |
| Company | test | |

| Shipping Information | | Edit |
|----------------------|--------|-------------|
| Shipping Method | Normal | |

To change the look of the additional text in the top e.g. **“You will now be directed to enter your payment details. Payment may be made by credit card or check.”**, please follow these steps below:

- Open file **layout.css** using notepad.
- Locate these codes below :

```
.noproductmessage{
    padding:10px;
    border:1px solid #cccccc;
    margin-top:20px;
    text-align:center;
    background-color:#f8f8f8;
}
```

Directly update the CSS inside the noproductmessage { } to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :
<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the background to use black color and text to use red color, then please update the CSS to e.g. :

```
.noproductmessage{  
padding:10px;  
border:1px solid #cccccc;  
margin-top:20px;  
text-align:center;  
background-color:black;  
color:red;  
}
```

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview of the example above :

You will now be directed to enter your payment details.
Payment may be made by credit card or check.

Furthermore, if you open the file **shopcreateorder.asp**, you will find the below codes :

ShopWriteHeader GetLang("LangCreate01") & "
" & GetLang("LangCreate02")

GetLang("LangCreate01") is used to display the text : “**You will now be directed to enter your payment details.**”

GetLang("LangCreate02") is used to display the text : “**Payment may be made by credit card or check.**”

The captions are stored in the languages table. If you wish to change the wording, then simply refer to VP-ASP 7.00 User Manual chapter **12.1.3. Changing language values** on how to change the language value.

Next, to change the look of the cart table, please follow these steps below:

1. Open file **shopcartformatdesign.asp** using notepad.
2. The codes explained below are used to format the following :

To format the titles in the table, please locate these codes below :

```
sub DisplayTitle (percent, titlename)  
    HtmlWrite CartTitleColumn & TitleName & CartTitleColumnEnd  
end sub
```

Note :

Variable **CartTitleColumn** and **CartTitleColumnEnd** are stored in file **shop\$colors.asp** which is located in the “**config**” folder.

To edit the styles for **CartTitleColumn** and **CartTitleColumnEnd**, please follow these steps :

- a. Open file **shop\$colors.asp** using notepad.

- b. Locate these codes below :


```
Const CartTitleColumn="<th class=""menuhdr">"  
Const CartTitleColumnEnd="</th>"
```
- c. Update the variables above to your own HTML or CSS style. In the codes above, you can see that the variable is using CSS class called “**menuhdr**”. To edit the CSS class “**menuhdr**”, simply follow these steps below :
- c.1. Open file **shop700.css** using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
- c.2. Locate these codes below :

```
.menuhdr{  
    background-color: #B3B7BB;  
    color : White;  
    font-size : 11px;  
    font-weight : bold;  
    padding : 3px 5px;  
    text-align : left;  
}
```

c.3. Update the CSS codes above to suit your own styles.

For example, if you wish the change the background color of the table title to black color, then please update the CSS to :

```
.menuhdr{  
    background-color: #000000;  
    color : White;  
    font-size : 11px;  
    font-weight : bold;  
    padding : 3px 5px;  
    text-align : left;  
}
```

Preview of the example above:

| Edit | Description | Quantity | Unit Price | Total |
|----------------------|--|----------------------|------------|------------|
| Edit | Classic Wood Dining Table The latest in style dining table perfect for your home. | 1 | US\$180,00 | US\$180,00 |
| <hr/> | | | | |
| | Product Cost | | US\$180,00 | |
| | Shipping Cost | | US\$3,00 | |
| | Total | | US\$183,00 | |
| <hr/> | | | | |
| Customer Information | | Edit | | |
| First Name | vpasp | | | |
| Last Name | vpasp | | | |
| Address | test | | | |
| City | test | | | |
| State | AZ | | | |
| Zip Code | test | | | |
| Country | US | | | |
| Email | testing@vpasp.com | | | |
| Phone | test | | | |
| Company | test | | | |

| Shipping Information | | Edit |
|----------------------|--------|-------------|
| Shipping Method | Normal | |

3. Save the file and upload to your site.

To format the records below the titles in the cart table, please locate these sub routines below in the file **shopcartformatdesign.asp**:

```
sub AddField
sub AddQuantity
sub AddRemoveBox
```

You can edit the any HTML codes inside the sub routines mentioned above.

If you need to modify the CSS that is used in formatting the cart records, Css class is "**item_row**".

To edit the styles CSS used for formatting cart records, please follow these steps :

1. Open file **shop700.css** using notepad. The file is located in the "templates/default-2cols/css" (if using 2 columns) or "templates/default-3cols/css" folder (if using 3 columns).
 2. Locate these codes below :
- ```
.item_row{ padding: 10px 10px 0 0; font-size:11px;}
```
3. Update the CSS codes above to suit your own styles.

For example, if you wish the change the font color of the cart records to white color and background to blue color, then please update the CSS to :

```
.item_row{ padding: 10px 10px 0 0; font-size:11px;color:white;background-color:#0033FF;}
```

Preview of the example above:

| Edit        | Description                                                                          | Quantity | Unit Price           | Total             |
|-------------|--------------------------------------------------------------------------------------|----------|----------------------|-------------------|
| <b>Edit</b> | Classic Wood Dining Table<br>The latest in style dining table perfect for your home. | 1        | US\$180,00           | US\$180,00        |
|             |                                                                                      |          | <b>Product Cost</b>  | US\$180,00        |
|             |                                                                                      |          | <b>Shipping Cost</b> | US\$3,00          |
|             |                                                                                      |          | <b>Total</b>         | <b>US\$183,00</b> |

| Customer Information |                   | <b>Edit</b> |
|----------------------|-------------------|-------------|
| <b>First Name</b>    | vpasp             |             |
| <b>Last Name</b>     | vpasp             |             |
| <b>Address</b>       | test              |             |
| <b>City</b>          | test              |             |
| <b>State</b>         | AZ                |             |
| <b>Zip Code</b>      | test              |             |
| <b>Country</b>       | US                |             |
| <b>Email</b>         | testing@vpasp.com |             |
| <b>Phone</b>         | test              |             |
| <b>Company</b>       | test              |             |

|                             |        |             |
|-----------------------------|--------|-------------|
| <b>Shipping Information</b> |        | <b>Edit</b> |
| <b>Shipping Method</b>      | Normal |             |

Now, we will try to change the look of the buttons in the shopcreateorder.asp.

|             |                   |
|-------------|-------------------|
|             | <b>Order now!</b> |
| <b>Edit</b> |                   |

To modify the buttons styling, please follow these steps below :

1. Open file **shop700.css** using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
2. Locate these codes below :

```
.std_table {
 background:#F1F1F1;
 border:1px solid #C3C6CD !important;
 margin-bottom:10px;
 padding:5px;
 text-align:left;
 vertical-align:top;
 line-height:20px;
 font-size:11px;
 /* overflow:auto; */
}

.submitbtn{
 background:#636463;
 border:1px solid #cccccc;
 font:bold 11px Arial, Helvetica, sans-serif;
 color:#fff;
 text-align:center;
 /*height:21px !important;*/
 cursor: pointer;
 padding-left:5px;
 padding-right:5px;
}
```

Directly update the CSS inside the std\_table { } and submitbtn { } to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :  
<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the background to use black color and also you may wish to change to buttons to red, then please update the CSS to e.g. :

```
.std_table {
 background:black;
 border:1px solid #C3C6CD !important;
 margin-bottom:10px;
 padding:5px;
 text-align:left;
 vertical-align:top;
 line-height:20px;
 font-size:11px;
```

```

/* overflow:auto;*/
}


.submitbtn{
 background:red;
 border:1px solid #cccccc;
 font:bold 11px Arial, Helvetica, sans-serif;
 color:#fff;
 text-align:center;
 /*height:21px !important;*/
 cursor: pointer;
 padding-left:5px;
 padding-right:5px;
}

```

Note : The css class **submitbtn** is used globally in the site. If you change the look of the submit button, the style will also affecting the other submit buttons in the site.

- Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview of the sample above :



| Edit | Description                                                                          | Quantity      | Unit Price        | Total      |
|------|--------------------------------------------------------------------------------------|---------------|-------------------|------------|
| Edit | Classic Wood Dining Table<br>The latest in style dining table perfect for your home. | 1             | US\$180,00        | US\$180,00 |
|      |                                                                                      | Product Cost  | US\$180,00        |            |
|      |                                                                                      | Shipping Cost | US\$3,00          |            |
|      |                                                                                      | Total         | <b>US\$183,00</b> |            |

## 10. Changing the look of shopcheckout.asp page

Home » Payment Information

**PAYMENT INFORMATION**

**Credit Card Payment**

|                          |                                                                     |
|--------------------------|---------------------------------------------------------------------|
| Card Type                | Select <input type="button" value="▼"/>                             |
| Card Number              | <input type="text" value="vpasp vpasp"/>                            |
| Name on Card             | vpasp vpasp                                                         |
| Expiry Date mm/yy        | <input type="button" value="▼"/> / <input type="button" value="▼"/> |
| Card Holder Address      | test                                                                |
| Card Verification Number | <input type="text"/> <small>What's This?</small>                    |

**Other Payment Type**

|              |                                         |
|--------------|-----------------------------------------|
| Payment Type | Select <input type="button" value="▼"/> |
| Comment:     | <input type="text"/>                    |

**Cancel order**

**!** We take card fraud seriously.  
Your IP Address has been logged and will be used to trace you in the event of a fraudulent transaction.

**:1**  
We do not retain credit card details in our system. All credit card details are processed by our financial institution in a secure environment.

To cover all parts that is needed to change the look of the whole shopcheckout.asp page, we will explain further in the sub chapters below.

### 10.1 Modify the Look of Checkout Step Indicator



Please read the VP-ASP 7.00 User Guide chapter **4.23 Checkout Steps Indicator** for more information about how to setup Checkout Step Indicator before you modify this.

Basically to change the design of the Checkout Step Indicator will just need to upload your own image to replace the existing image.

Please follow the steps below to upload your own checkout step indicator image for the shopcheckout.asp :

1. Login to your VP-ASP administration.
2. Go to : Misc > Edit Tables.
3. Select “**checkoutsteps**” in the dropdowns.

4. Click Edit Table.
5. Click Edit for the **Checkout**.
6. In the “**stepimage**”, click **Upload image**.
7. Browse to your own created image.  
**Note :** Make sure you create your own image as like in `4_checkout.gif` (default image) but with your own style.
8. Click **Update record**.

## **10.2 Modify the Look of Payment Information Title**

PAYMENT INFORMATION

To edit the look of **Payment Information** title in the `shopcheckout.asp`, please follow these steps below:

1. Open file **layout.css** using notepad. The file is located in the “`templates/default-2cols/css`” (if using 2 columns) or “`templates/default-3cols/css`” folder (if using 3 columns).
2. Locate these codes below :

```
#main h1{
 margin:10px 0 10px 0;
 background:url(..../images/main-content-title.gif) no-repeat;
 font: bold 14px/18px Arial, Helvetica, sans-serif;
 color:#fff;
 padding:11px 0 11px 14px;
 text-transform: uppercase;
}
```

Directly update the CSS as mentioned above to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :  
<http://www.w3schools.com/Css/default.asp>

**Note : Changing the #main h1 style will also update the entire h1 style globally in your site.**

For example, if you wish to change the background color to white and to use title color in green, then please update the css as below:

```
#main h1{
 margin:10px 0 10px 0;
 font: bold 14px/18px Arial, Helvetica, sans-serif;
 color:green;
 padding:11px 0 11px 14px;
 text-transform: uppercase;
}
```

Preview of the example above:

## PAYMENT INFORMATION

Credit Card Payment

|                          |                                                                   |
|--------------------------|-------------------------------------------------------------------|
| Card Type                | Select <input type="button" value="▼"/>                           |
| Card Number              | <input type="text"/>                                              |
| Name on Card             | vpasp vpasp                                                       |
| Expiry Date mm/yy        | <input type="button" value="▼"/> <input type="button" value="▼"/> |
| Card Holder Address      | test                                                              |
| Card Verification Number | <input type="text"/> <small>What's This?</small>                  |

**Continue**

- Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

### 10.3 **Modify the Look of Credit Card Payment and Other Payment Type Header**

Credit Card Payment

Other Payment Type

To modify the look of Credit Card Payment and Other Payment Type header, please follow these steps below :

- Open file **layout.css** using notepad. The file is located in the “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” folder (if using 3 columns).
- Locate these codes below :

```
h2.picheader { /* Heading style for headings with picture, e.g. shopcustomer.asp */
 padding:10px 5px 10px 50px !important;
 margin:5px 0px 5px 0px !important;
 background-position:1% 50% !important;
 background-repeat:no-repeat !important;
 background-color:#F1F1F1 !important;
 border:1px solid #C3C6CD !important;
 color:#666666 !important;
 text-transform:none !important;
 font-size:12px !important;
}
```

Directly update the CSS as mentioned above to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :  
<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the background color to green and to use title color in black, then please update the css as below:

```
h2.picheader { /* Heading style for headings with picture, e.g. shopcustomer.asp */
 padding:10px 5px 10px 50px !important;
 margin:5px 0px 5px 0px !important;
 background-position:1% 50% !important;
 background-repeat:no-repeat !important;
 background-color:#b3ca1c !important;
```

```

border:1px solid #C3C6CD !important;
color:#000000 !important;
text-transform:none !important;
font-size:12px !important;
}

```

Preview of the example above:



- Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

#### **10.4    Modify the Look of Credit Card Payment and Other Payment Type Content**

|                          |                                                                       |
|--------------------------|-----------------------------------------------------------------------|
| Card Type                | <input type="button" value="Select"/> <input type="button" value=""/> |
| Card Number              | <input type="text"/>                                                  |
| Name on Card             | <input type="text" value="vpasp vpasp"/>                              |
| Expiry Date mm/yy        | <input type="button" value=""/> <input type="button" value=""/>       |
| Card Holder Address      | <input type="text" value="test"/>                                     |
| Card Verification Number | <input type="text"/> <input type="button" value="What's This?"/>      |
| <b>Continue</b>          |                                                                       |

|                 |                                                                       |
|-----------------|-----------------------------------------------------------------------|
| Payment Type    | <input type="button" value="Select"/> <input type="button" value=""/> |
| Comment:        | <input type="text"/>                                                  |
| <b>Continue</b> |                                                                       |

To modify the look of Credit Card Payment and Other Payment Type content, please follow these steps below :

- Open file **shop700.css** using notepad. The file is located in the “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” folder (if using 3 columns).
- Locate these codes below :

```

.std_table {
 background:#F1F1F1;
 border:1px solid #C3C6CD !important;
 margin-bottom:10px;
 padding:5px;
 text-align:left;
 vertical-align:top;
 line-height:20px;
 font-size:11px;
 /* overflow:auto; */
}

```

Directly update the CSS as mentioned above to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :

<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the background color to green and to use title color in black, then please update the css as below:

```
.std_table {
 background:#b3ca1c;
 color:#000000;
 border:1px solid #C3C6CD !important;
 margin-bottom:10px;
 padding:5px;
 text-align:left;
 vertical-align:top;
 line-height:20px;
 font-size:11px;
 /* overflow:auto; */
}
```


Preview of the example above:

The form consists of two stacked sections. The top section contains fields for Card Type (dropdown menu showing 'Select'), Card Number (text input), Name on Card (text input containing 'vpasp vpasp'), Expiry Date mm/yy (dropdown menu), Card Holder Address (text input containing 'test'), and Card Verification Number (text input). A 'Continue' button is located at the bottom right of this section. The bottom section contains fields for Payment Type (dropdown menu showing 'Select') and Comment (text input). A 'Continue' button is also located at the bottom right of this section.

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

---

## 10.5 Modify the Look of Continue and Cancel Order Buttons



To modify the buttons styling, please follow these steps below :

1. Open file **shop700.css** using notepad. The file is located in the “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” folder (if using 3 columns).
2. Locate these codes below :

```
.submitbtn{
 background:#636463;
 border:1px solid #cccccc;
 font:bold 11px Arial, Helvetica, sans-serif;
 color:#fff;
 text-align:center;
 /*height:21px !important;*/
 cursor: pointer;
 padding-left:5px;
```

```
 padding-right:5px;
}
```

Directly update the CSS inside the submitbtn {} to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :  
<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the buttons to red, then please update the CSS to e.g. :

```
.submitbtn{
 background:red;
 border:1px solid #cccccc;
 font:bold 11px Arial, Helvetica, sans-serif;
 color:#fff;
 text-align:center;
 /*height:21px !important;*/
 cursor: pointer;
 padding-left:5px;
 padding-right:5px;
}
```

Note : The css class **submitbtn** is used globally in the site. If you change the look of the submit button, the style will also affecting the other submit buttons in the site.

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview of the example above :

**Continue**

**Cancel order**

---

## 10.6 Modify the Look of the Bottom Warning Text



We take card fraud seriously.  
Your IP Address has been logged and will be used to trace you in the event of a fraudulent transaction.

::1

We do not retain credit card details in our system. All credit card details are processed by our financial institution in a secure environment.

To change the look of the bottom warning text, please follow these steps below:

1. Open file **shop700.css** using notepad.
2. Locate these codes below :

```
.ipwarningtable{
 border:1px solid #D6D6D6;
}
```

Directly update the CSS inside the ipwarningtable { } to reflect your own style. You may need CSS knowledge to update this.


For more information about CSS, please refer to :  
<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the background to use green color and text to use black color, then please update the CSS to e.g. :

```
.ipwarningtable{
 border:1px solid #D6D6D6;
 background:#b3ca1c;
 color:#000000;
}
```

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview of the example above :



Furthermore, if you need to change the wording for the warning text, you can change these by editing Languages table in your VP-ASP administration.

The functions are stored in the file **shopproductssubs.asp**, you can locate these codes below:

```
<table class="ipwarningtable" width="99%" border="0" cellspacing="4" cellpadding="4" align="center">
<tr>
<td width="14%" class="small al">

</td>
<td width="86%" class="small al">
<%=GetLang("langipwarn01")%>
</td>
</tr>
<tr>
<td width="14%" class="small al">

</td>
<td>
<%=request.ServerVariables("REMOTE_ADDR") & "
"%>
</td>
</tr>
<tr>
<td width="14%" class="small al">

</td>
<td width="86%" class="small al">
<%=GetLang("langipwarn02")%>
</td>
</tr>
```

</table>

Language keyword “**langipwarn01**” is used to display the text : “**We take card fraud seriously.  
Your IP Address has been logged and will be used to trace you in the event of a fraudulent transaction.**”

Language keyword “**langipwarn02**” is used to display the text : “**We do not retain credit card details in our system. All credit card details are processed by our financial institution in a secure environment.**”

The captions are stored in the languages table. If you wish to change the wording, then simply refer to VP-ASP 7.00 User Manual chapter **12.1.3. Changing language values** on how to change the language value.

## 11. Changing the look of shophanks.asp page

The screenshot shows the VP-ASP 7.00 User Guide's shophanks.asp page. At the top, there is a navigation bar with icons for View Cart, Sign In, Create Order, Checkout, and Thank You. Below the navigation bar, a message box displays "Thank you for your order. You can print this form as your confirmation." A second message box shows "Order Number 1 - Januari Jumat 22 2010 5:33:25". The main content area contains several tables and sections:

- Products:** A table showing a single item: "Classic Wood Dining Table" (Quantity: 1, Unit Price: US\$180,00, Total: US\$180,00). A note below says "The latest in style dining table perfect for your home."
- Customer Information:** A table with the following data:

|            |                       |
|------------|-----------------------|
| First Name | vp.asp                |
| Last Name  | vp.asp                |
| Address    | test                  |
| City       | test                  |
| State      | AL                    |
| Zip Code   | test                  |
| Country    | US                    |
| Email      | will2kready@gmail.com |
| Phone      | test                  |
| Company    | test                  |
- Payment Information:** A table with the following data:

|              |       |
|--------------|-------|
| Payment Type | Check |
|--------------|-------|
- Shipping Information:** A table with the following data:

|                 |        |
|-----------------|--------|
| Shipping Method | Normal |
|-----------------|--------|

To cover all parts that is needed to change the look of the whole shophanks.asp page, we will explain further in the sub chapters below.

### 11.1 Modify the Look of Checkout Step Indicator



Please read the VP-ASP 7.00 User Guide chapter **4.23 Checkout Steps Indicator** for more information about how to setup Checkout Step Indicator before you modify this.

Basically to change the design of the Checkout Step Indicator will just need to upload your own image to replace the existing image.

Please follow the steps below to upload your own checkout step indicator image for the shophanks.asp :

1. Login to your VP-ASP administration.
2. Go to : Misc > Edit Tables.
3. Select “**checkoutsteps**” in the dropdowns.

4. Click Edit Table.
5. Click Edit for the **Thanks**.
6. In the “**stepimage**”, click **Upload image**.
7. Browse to your own created image.  
**Note** : Make sure you create your own image as like in `5_thankyou.gif` (default image) but with your own style.
8. Click **Update record**.

## **11.2 Modify the Look of Thank You Text in theTop**

Thank you for your order. You can print this form as your confirmation.

To edit the look of Thank You text in the top in the `shopthanks.asp`, please follow these steps below:

1. Open file **shop700.css** using notepad. The file is located in the “`templates/default-2cols/css`” (if using 2 columns) or “`templates/default-3cols/css`” folder (if using 3 columns).
2. Locate these codes below :

```
.ordercompletemsg{
 border:1px solid #D6D6D6 !important;
 padding:5px !important;
 color:#666666 !important;
 font-weight:bold !important;
 margin-top:10px;
 line-height: 18px;
}
```

Directly update the CSS as mentioned above to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :  
<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the background color to black and to use title color in red, then please update the css as below:

```
.ordercompletemsg{
 border:1px solid #D6D6D6 !important;
 padding:5px !important;
 color:red !important;
 background-color:#000000;
 font-weight:bold !important;
 margin-top:10px;
 line-height: 18px;
}
```

Preview of the example above:

Thank you for your order. You can print this form as your confirmation.

3. Save the file and upload to folder “`templates/default-2cols/css`” (if using 2 columns) or “`templates/default-3cols/css`” (if using 3 columns).

---

### 11.3 Modify the Look of Order Number Text In the Top

Order Number 6 - January Friday 22 2010 6:01:39 AM

To modify the look of Order Number text in the top of the shopthanks.asp page, please follow these steps below :

1. Open file **shop700.css** using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
2. Locate these codes below :

```
.info_table{
 margin-bottom:20px;
 border-collapse:separate;
 border:1px solid #D6D6D6;
}
```

Directly update the CSS as mentioned above to reflect your own style. You may need CSS knowledge to update this.

**Note : Changing the .info\_table style will also update the other information text globally in your site.**

For more information about CSS, please refer to :

<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the background color to black and to use title color in red, then please update the css as below:

```
.info_table{
 margin-bottom:20px;
 border-collapse:separate;
 border:1px solid #D6D6D6;
 background-color:#000000;
 color:red;
}
```

Preview of the example above:

Order Number 7 - January Friday 22 2010 6:05:55 AM

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

---

### 11.4 Modify the Look of Order Details

This section will explain to you on how to change the look of the following section :

- Cart table
- Records below the titles in the cart table e.g. first name, last name,etc ..

| Products                                                  | Quantity | Unit Price    | Total      |
|-----------------------------------------------------------|----------|---------------|------------|
| Cordless Electric Kettle<br>New cordless electric kettle. | 1        | US\$11.99     | US\$11.99  |
|                                                           |          | Product Cost  | US\$11.99  |
|                                                           |          | Shipping Cost | US\$300.00 |
|                                                           |          | Total         | US\$14.99  |

| Customer Information |       |
|----------------------|-------|
| First Name           | vpasp |
| Last Name            | vpasp |

To change the look of the cart table, please follow these steps below:

1. Open file **shopcartformatdesign.asp** using notepad.
2. The codes explained below are used to format the following :

To format the titles in the table, please locate these codes below :

```
sub DisplayTitle (percent, titlename)
 HtmlWrite CartTitleColumn & TitleName & CartTitleColumnEnd
end sub
```

Note :

Variable **CartTitleColumn** and **CartTitleColumnEnd** are stored in file **shop\$colors.asp** which is located in the “**config**” folder.

To edit the styles for **CartTitleColumn** and **CartTitleColumnEnd**, please follow these steps :

- a. Open file **shop\$colors.asp** using notepad.
- b. Locate these codes below :  
Const CartTitleColumn="<th class=""menuhdr"">"  
Const CartTitleColumnEnd="</th>"
- c. Update the variables above to your own HTML or CSS style. In the codes above, you can see that the variable is using CSS class called “**menuhdr**”. To edit the CSS class “**menuhdr**”, simply follow these steps below :
  - c.1. Open file **shop700.css** using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
  - c.2. Locate these codes below :

```
.menuhdr{
 background-color: #B3B7BB;
 color : White;
 font-size : 11px;
 font-weight : bold;
 padding : 3px 5px;
 text-align : left;
}
```

c.3. Update the CSS codes above to suit your own styles.

For example, if you wish the change the background color of the table title to black color, then please update the CSS to :

```
.menuhdr{
 background-color: #000000;
 color : White;
 font-size : 11px;
 font-weight : bold;
 padding : 3px 5px;
 text-align : left;
}
```

Preview of the example above:

| <b>Products</b>                                                                      | <b>Quantity</b>   | <b>Unit Price</b>    | <b>Total</b>      |
|--------------------------------------------------------------------------------------|-------------------|----------------------|-------------------|
| Classic Wood Dining Table<br>The latest in style dining table perfect for your home. | 1                 | US\$180.00           | US\$180.00        |
|                                                                                      |                   | <b>Product Cost</b>  | US\$180.00        |
|                                                                                      |                   | <b>Shipping Cost</b> | US\$300.00        |
|                                                                                      |                   | <b>Total</b>         | <b>US\$183.00</b> |
| <b>Customer Information</b>                                                          |                   |                      |                   |
| First Name                                                                           | vpasp             |                      |                   |
| Last Name                                                                            | vpasp             |                      |                   |
| Address                                                                              | test              |                      |                   |
| City                                                                                 | test              |                      |                   |
| State                                                                                | AL                |                      |                   |
| Zip Code                                                                             | test              |                      |                   |
| Country                                                                              | US                |                      |                   |
| Email                                                                                | testing@vpasp.com |                      |                   |
| Phone                                                                                | test              |                      |                   |
| Company                                                                              | test              |                      |                   |
| <b>Payment Information</b>                                                           |                   |                      |                   |
| Payment Type                                                                         | Check             |                      |                   |
| <b>Shipping Information</b>                                                          |                   |                      |                   |
| Shipping Method                                                                      | Normal            |                      |                   |

3. Save the file and upload to your site.

To edit the styles CSS used for formatting cart records, please follow these steps :

1. Open file **shop700.css** using notepad. The file is located in the “templates/default-2cols/css” (if using 2 columns) or “templates/default-3cols/css” folder (if using 3 columns).
  2. Locate these codes below :
- ```
.item_row{ padding: 10px 10px 0 0; font-size:11px;}
```
3. Update the CSS codes above to suit your own styles.

For example, if you wish to change the font color of the cart records to white color and background to blue color, then please update the CSS to :

```
.item_row{ padding: 10px 10px 0 0; font-size:11px;color:white;background-color:#0033FF;}
```

Preview of the example above:

| | | | |
|--|---|---------------|-------------------|
| Classic Wood Dining Table The latest in style dining table perfect for your home. | 1 | US\$180.00 | US\$180.00 |
| | | Product Cost | US\$180.00 |
| | | Shipping Cost | US\$300.00 |
| | | Total | US\$183.00 |

| | |
|------------|-------------------|
| First Name | vpasp |
| Last Name | vpasp |
| Address | test |
| City | test |
| State | AL |
| Zip Code | test |
| Country | US |
| Email | testing@vpasp.com |
| Phone | test |
| Company | test |

| | |
|--------------|-------|
| Payment Type | Check |
|--------------|-------|

| | |
|-----------------|--------|
| Shipping Method | Normal |
|-----------------|--------|

11.5 Modify the Look of the Bottom Merchant Information



To change the look of the bottom Merchant Information text, please follow these steps below:

1. Open file **shop700.css** using notepad.
2. Locate these codes below :

```
.item_row2 {font-size:11px;}
```

Directly update the CSS inside the item_row2 {} to reflect your own style. You may need CSS knowledge to update this.

For more information about CSS, please refer to :
<http://www.w3schools.com/Css/default.asp>

For example, if you wish to change the text to use green color, then please update the CSS to e.g. :

```
.item_row2{font-size:11px;color:green;}
```

3. Save the file and upload to folder “**templates/default-2cols/css**” (if using 2 columns) or “**templates/default-3cols/css**” (if using 3 columns).

Preview of the example above :

My Company
PO Box 500
Somewhere NY 11720
US
Phone Some Phone
Fax 55512121
Email abc@def.com

12. How to create a Unique home/landing page for your store

If you want VP-ASP to display your custom header and trailer page for the front store, you can set the below configurations :

| | |
|-------------------------------|--|
| xUniqueFrontpageHeader | <p>Enter your custom file name (HTML) to be displayed as the header for the front store e.g. myownheader.htm.</p> <p>Make sure you upload the template file into folder “templates/default-2cols” (if using 2 columns) or “templates/default-3cols” (if using 3 columns).</p> <p>Note : VPASP has default value for this config, which is shopfrontpage_header.htm.</p> <p>You can set this config xUniqueFrontpageHeader to use shopfrontpage_header.htm if you do not want to create your own file.</p> <p>If so, you will just edit the existing template shopfrontpage_header.htm to suit your liking.</p> |
| xUniqueFrontpageFooter | <p>Enter your custom file name (HTML) to be displayed as the footer for the front store e.g. myownfooter.htm.</p> <p>Make sure you upload the template file into folder “templates/default-2cols” (if using 2 columns) or “templates/default-3cols” (if using 3 columns).</p> <p>Note : VPASP has default value for this config, which is shopfrontpage_trailer.htm.</p> <p>You can set this config xUniqueFrontpageFooter to use shopfrontpage_trailer.htm if you do not want to create your own file.</p> <p>If so, you will just edit the existing template shopfrontpage_trailer.htm to suit your liking.</p> |

Furthermore, if you **do not** wish to display the default component that is usually in the **default.asp** page such as the Welcome screen, News / Blog / Product Highlights, Latest Products, you can turn off these all completely using the below configuration :

| | |
|---------------------------------|--|
| xloadhomepagebodycontent | <p>Default value is Yes.</p> <p>If you do not wish to display any default VPASP component on your homepage screen, you can set this value to No.</p> <p>This will allow flexibility if you have your own homepage header and footer file setup in the xUniqueFrontpageHeader and xUniqueFrontpageFooter, all the VP-ASP component in the default.asp will be hidden so that you can have the ability to control all of your own custom design in the xUniqueFrontpageHeader and xUniqueFrontpageFooter.</p> |
|---------------------------------|--|

We will try to give you an example for this.

Let's say we setup the below configurations:

xUniqueFrontpageHeader value set to : **myownheader.htm**
xUniqueFrontpageFooter value set to : **myownfooter.htm**
xloadhomepagebodycontent value set to : **No**

And then we create the custom front page header and footer template file as below :

myownheader.htm, which contains the below HTML code :

```
<html>
<head>
<title>My store</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<body bgcolor="#999999">
<div align="center">
<br>
<br>
<br>
<br>
<br>
<br>
<br>

<br>
<br>
<a href="shopdisplaycategories.asp">Click here to view our products</a>
<br>
<br>
<br>
<br>
<br>
<br>
<br>
```

And **myownfooter.htm**, which contains the below HTML code :

```
Copyright 2010 - mystore.com
</div>
</body>
</html>
```

Note : The above HTML code is just an example how you can design your own homepage header and footer.

And here the preview of the homepage after you have setup your own custom unique header and footer template :



www.vpasp.com

[Click here to view our products](#)

Copyright 2010 - mystore.com