

VP-ASP Shopping Cart QUICK START GUIDE Version 7.01

18th Apr 2012

Rocksalt International Pty Ltd

www.vpasp.com

Table	of	Contents
Tuble	U 1	Contento

INTRODUCTION 4			
1	FEA	TURES	. 5
2	WHA	AT DO I NEED TO RUN VP-ASP?	. 6
	2.1 <i>2.1.</i> <i>2.1.</i>		6
3	WHA	AT DO I DO WITH THE VP-ASP ZIP FILE?	13
	3.1 3.2	INSTALLING VP-ASP ONTO A LOCAL MACHINE INSTALLING VP-ASP ONTO A REMOTE SERVER	
4	SET	TING UP YOUR SITE	15
	4.1 4.2 4.3 4.4 4.5 4.6 4.7	Accessing your store on your Local Machine Accessing your store on your remote host Requesting your web host to set up your database permissions Setting IIS permissions on your database folder Enabling 32 bit mode on 64 bit computers Test Database Permission Test IIS Permissions	15 15 15 20 24
5	SEC	URING YOUR SITE	25
	5.1 5.2 5.3	REMOVE ALL FILES STARTING WITH "DIAG" CREDIT CARD STORAGE SETTINGS SECURING YOUR DATABASE	25
6	SET	TING YOUR SITE LIVE AND ACCESSING THE ADMIN PAGES	26
	6.1 6.2	Accessing the Administration Pages Setting your site live	

Introduction

Congratulations! You are about to embark on an exciting e-commerce journey with VP-ASP, one of the most powerful shopping cart systems available on the market.

The VP-ASP e-commerce shopping cart software has a wide range of features and functionality that can be modified to suit almost any business requirements. Furthermore, we understand the most critical element of any business – closing sales. With our numerous shipping, customer management, and administrative functions, you can be assured that your website will be one which your customers find professional and simple to use

This guide will help you to get your copy of the VP-ASP shopping cart up and running on either your local server or on your web host. It provides you the basics to get you started so that you can see for yourself the full potential of VP-ASP as one of the most influential tools for you business.

Ready to start? Then let's take the first step!

If you experience any problems during the installation of your VP-ASP Shopping Cart software, please contact our help desk, open 24 hours a day, Monday to Friday by visiting: <u>https://helpdesk.vpasp.com</u>

With VP-ASP, we are confident you will be taking your business to new heights!

1 Features

VP-ASP offers a number of different shopping cart solutions to cater for your every need.

To compare the features each of our shopping carts have to offer, please visit - http://www.vpasp.com/virtprog/vpaspcompareversions.htm

2 What do I need to run VP-ASP?

2.1 Web Server

If you are setting up VP-ASP on your host's server, you need to ask them if they allow you to run ASP scripts. If they don't, you will need to look into a new plan or a new host that does support ASP.

VP-ASP offer a premium web hosting service which is designed exclusively to host our software. You can read more about VP-ASP Hosting and get three months free by going to:

http://hosting.vpasp.com

If you do not wish to host with VP-ASP and want to use a different hosting company, skip to section **3.2** of this guide. If you are running VP-ASP on your local computer, you will need to check if IIS (Internet Information Services) is installed on the computer where VP-ASP will be located.

IIS can run on any of the following Windows Operating Systems:

• Windows 95 / 98 / NT4 / 2000 / 2003 / XP-Professional / Vista Business/Ultimate / 7

2.1.1 Checking if your computer is running IIS

A simple way of checking whether IIS is running on your computer is to open a web browser and type <u>http://localhost</u> into your browser address bar.


If IIS is running on your computer, you will be taken to a page that looks similar to the screenshot below and you can skip to section **3.0** of this guide. If not, you will receive a *"Page cannot be displayed"* error and will need to install IIS.

Welcome		
ようこそ Bienvenido		
Willkommen Bem-	vindo	
Bienvenue	Vítejte	
	Tervetuloa	
	ברוכים הבאים	
Velkommen	VELKOMEN	
Benvenuto	欢迎	
Welkom internet information services	Witamy	
Välkommen	مرحبا	
Hoş Geldiniz ž	영합니다	
Üdvözöljük Καλώς ορίσα		
Добро пожаловать		


2.1.2 Installing IIS

The following process will install IIS on your computer. Throughout the installation process, you may receive messages asking you to "Allow" or "Cancel" an action. You should click "Allow" each time this appears.


- 1. Open the Control Panel by going to the Start Menu > Control Panel.
- 2. Double click on "Programs".



3. Click the "Turn On Or Off Windows Features" link.



4. Double click on "Internet Information Services", which will display a list of features available for IIS.



5. Click the plus button next to "Web Management Tools" and "IIS 6 Management Compatibility".


Windows Features		
Turn Windows features on or off		
To turn a feature on, select its check box. To turn a feature off, clear its		
check box. A filled box means that only part of the feature is turned on.		
Internet Information Services		
Web Management Tools Is 6 Management Compatibility		
IS 6 Management Compatibility		
IIS 6 Scripting Tools		
IIS 6 WMI Compatibility IIS Metabase and IIS 6 configuration compatibility		
IS Management Console		
IS Management Scripts and Tools		
IIS Management Service		
World Wide Web Services ✓		
OK Cancel		
OK Cancel		
Fick the checkbox shown above.		
Click the minus button next to "Web Management Tools".		
Click the plus button next to "World Wide Web Services".		
Click the plus button next to "World Wide Web Services".		
Click the plus button next to "World Wide Web Services". Windows Features Turn Windows features on or off To turn a feature on, select its check box. To turn a feature off, clear its		
Click the plus button next to "World Wide Web Services". Windows Features Turn Windows features on or off		
Click the plus button next to "World Wide Web Services". Windows Features Turn Windows features on or off To turn a feature on, select its check box. To turn a feature off, clear its check box. A filled box means that only part of the feature is turned on. Internet Information Services		
Click the plus button next to "World Wide Web Services". Windows Features Turn Windows features on or off To turn a feature on, select its check box. To turn a feature off, clear its check box. A filled box means that only part of the feature is turned on. Internet Information Services Web Management Tools		
Click the plus button next to "World Wide Web Services". Windows Features Turn Windows features on or off To turn a feature on, select its check box. To turn a feature off, clear its check box. A filled box means that only part of the feature is turned on. Internet Information Services Web Management Tools		
Click the plus button next to "World Wide Web Services".		
Windows Features Turn Windows features on or off To turn a feature on, select its check box. To turn a feature off, clear its check box. A filled box means that only part of the feature is turned on. Internet Information Services World Wide Web Services World Wide Web Services World Wide Web Services Morid Wide Web Services Health and Diagnostics		
Click the plus button next to "World Wide Web Services".		
Click the plus button next to "World Wide Web Services".		

9. Click the plus button next to "Application Development Features".


6. 7. 8.

	Windows Features	
	Turn Windows features on or off	0
	To turn a feature on, select its check box. To turn a featur check box. A filled box means that only part of the feature	
	Internet Information Services Web Management Tools Wested Wide Web Services	^
	World Wide Web Services Application Development Features NET Extensibility	E
	ASP ASP ASP.NET	
	CGI	
	ISAPI Filters	-
	ОК	Cancel
11. (Fick the boxes as shown above. Click the minus button next to "Application Developme Click the plus button next to "Common HTTP Features	nt Features".
		".
	Windows Features	
	Windows Features	e off, clear its
	Windows Features Turn Windows features on or off To turn a feature on, select its check box. To turn a featur check box. A filled box means that only part of the feature Internet Information Services	e off, clear its
	 Windows Features Turn Windows features on or off To turn a feature on, select its check box. To turn a feature check box. A filled box means that only part of the feature Internet Information Services Web Management Tools World Wide Web Services 	e off, clear its
	 Windows Features Turn Windows features on or off To turn a feature on, select its check box. To turn a feature check box. A filled box means that only part of the feature Internet Information Services Web Management Tools 	e off, clear its e is turned on.
	 Windows Features Turn Windows features on or off To turn a feature on, select its check box. To turn a feature check box. A filled box means that only part of the feature Internet Information Services Web Management Tools World Wide Web Services Morid Wide Web Services Common Http Features Default Document 	e off, clear its e is turned on.
	 Windows Features Turn Windows features on or off To turn a feature on, select its check box. To turn a feature check box. A filled box means that only part of the feature Internet Information Services Internet Information Services Web Management Tools World Wide Web Services Morid Wide Web Services Common Http Features Default Document Directory Browsing HTTP Errors 	e off, clear its e is turned on.
	 Windows Features Turn Windows features on or off To turn a feature on, select its check box. To turn a feature check box. A filled box means that only part of the feature Internet Information Services Web Management Tools World Wide Web Services Morid Wide Web Services Common Http Features Default Document Directory Browsing 	e off, clear its e is turned on.

- Tick the boxes as shown above.
 Click the minus button next to "Common HTTP Features".
 Click the plus button next to "Health and Diagnostics".



- 19. Tick the box as shown above.
- 20. Click the minus button next to "Performance Features".
- 21. Click the plus button next to "Security".



- 22. Tick the box as shown above.
- 23. Click the minus button next to "Security".
- 24. Now click OK and Windows will begin installing IIS. This may take several minutes. When the installation is complete, the Windows Features window will be closed and you will be returned to the Control Panel.


3 What do I do with the VP-ASP Zip file?

The VP-ASP Shopping Cart is delivered to you in a zip file containing roughly 600 files and a number of sub folders. VP-ASP can either be installed onto a local machine, or directly onto your remote web host.

3.1 Installing VP-ASP onto a local machine

NOTE: It is important that you follow the instructions below, **<u>do not</u>** simply highlight all of the files and drag them onto your machine as this will corrupt the default folder structure and **<u>VP-ASP will</u> <u>not work</u>**.

 a) Right click the vpasp7001 zip file and choose 'extract to vpasp7001' from the menu.
 (Note: you will need an unzipping program such as WinRar to unzip the files, download here).



- b) Create a new folder called "shopping" in the root of your web server (<u>C:/InetPub/wwwroot/</u>) and drag the all of the files out of the unzipped 'vpasp7001' folder into your 'shopping' folder.
- c) Open your web browser and type in <u>http://localhost/shopping</u> into your browser address bar, you should now see the VP-ASP welcome page.

3.2 Installing VP-ASP onto a remote server

- a) Extract your files onto your local machine by following the steps in 3.1 above.
 Note: if you will be viewing your store directly on your remote server, the files can be extracted to any location on your local machine.
- b) FTP* the extracted files and folder (maintaining the file structure intact) to your remote server space by using an FTP program such as WS-FTP or SmartFTP.
- c) Open your web browser and type in your site's address you should now see the VP-ASP welcome page.

*FTP (File Transfer Protocol) is the language used to transfer files between two computers across the internet. Many web hosts provide you with this facility through a browser interface, or alternatively you will need to use specific FTP software. There are a number of free software packages you can use such as SmartFTP at <u>www.smartftp.com</u>.

4 Setting up your site

Now that VP-ASP is installed on either your server, you can begin to set up your store!

4.1 Accessing your store on your Local Machine

- a) Open your Internet browser.
- b) Type the local path name into your browser e.g. http://localhost/shopping/default.asp
- c) You should now see the VP-ASP front store.
- d) Before you can browse the site, you will need to setup database permissions. (Go to section **4.4**)

4.2 Accessing your store on your remote host

- a) Open your Internet browser.
- b) Type the address of your server into your browser e.g.
 http://www.vpasp.com/vpasp/default.asp (where www.vpasp.com is your website address and vpasp is the folder you uploaded VP-ASP to).
- c) You should now see the VP-ASP front store.
- d) Before you can browse the site, you will need to ask your host to setup database permissions.

4.3 Requesting your web host to set up your database permissions

If a third party is hosting your website, you will need to check that you have been provided with a *database* directory and that the correct permissions have been set. *You can then skip the next two sections.*

If you are uncertain, please contact your web host and ensure that the following have been set:

- Read and write permissions need to be set on the database folder in your shopping sub-directory (the READ/WRITE must be set in the NTFS on the database folder, and not the file itself).
- b) Read access must be removed from IIS on the folder that the database will be stored in.

4.4 Setting IIS permissions on your database folder

The VP-ASP Shopping Cart requires that a number of folder permissions be updated so they have READ/WRITE allowed.

You will need to set READ/WRITE permissions for the Internet Guest Account on the "database" folder before you are able to run VP-ASP.

Also, to use the image upload facility and the other powerful features in VP-ASP 7.0, you will need to set the same permissions on the 'images' folder before you can upload files.

1. Open My Computer.

Organize 👻 🔠 Views	👻 🕙 Burn	_	-	_	
vorite Links	Name	Date modified	Туре	Size	
Documents	腸 captcha	8/04/2007 9:28 PM	File Folder		
	鷆 database	2/05/2007 3:18 PM	File Folder		
Pictures	ili editor	8/04/2007 9:28 PM	File Folder		
Music	like export	4/04/2007 7:26 PM	File Folder		
Recently Changed	iii html	8/04/2007 9:28 PM	File Folder		
Searches	퉲 images	8/04/2007 9:28 PM	File Folder		
Public	퉳 import	4/04/2007 7:26 PM	File Folder		
HP Games	stylesheets	8/04/2007 9:28 PM	File Folder		
nr comes	👪 upload	4/04/2007 7:26 PM	File Folder		
	🥭 Sinstall.htm	25/01/2007 11:33	HTML Document	2 KB	
	Slicense.bt	30/01/2007 11:06	Text Document	3 KB	
	Sreadme.txt	28/02/2007 3:20 PM	Text Document	5 KB	
	Sreadmeoptionpackage.txt	18/12/2006 6:48 PM	Text Document	3 KB	
	🏉 Supgrade.htm	25/01/2007 11:34	HTML Document	2 KB	
	convert650.asp	20/02/2007 12:34	ASP File	20 KB	
	convert650access.txt	8/03/2007 12:50 PM	Text Document	19 KB	
	convert650admin.asp	22/02/2007 6:15 PM	ASP File	5 KB	
	convert650config.txt	19/02/2007 10:52	Text Document	86 KB	
	convert650inventory.asp	20/02/2007 12:41	ASP File	6 KB	
ders	 convert650mysgl.txt 	8/03/2007 12:50 PM	Text Document	21 KB	

2. Browse to the folder where you installed VP-ASP.

3. Right click on the folder you want to set permissions for, then select Properties. Click the Security Tab.

🗼 database Properties 📃 🎫				
General Sharing Security Customize				
Object name: C:\inetpub\wwwroot\shopping\database				
Group or user names:				
& CREATOR OWNER				
& IUSR				
SYSTEM				
& Administratore (Shaun-PC) Administratore)				
To change permissions, click Edit.				
Permissions for IUSR Allow Deny				
Full control				
Modify				
Read & execute 🗸 🗉				
List folder contents 🗸				
Read 🗸				
Write 🗸 🔻				
For special permissions or advanced settings, Advanced Advanced.				
Learn about access control and permissions				
OK Cancel Apply				

- 4. Click the Edit button. Click on the IUSR account, if it is listed and skip to Step 9. If not, continue to the next step.
- 5. Click the Add button.

Select Users or Groups	? ×
<u>S</u> elect this object type:	
Users, Groups, or Built-in security principals	Object Types
From this location:	
SHAUN-PC	Locations
Enter the object names to select (examples):	
	Check Names
Advanced OK	Cancel

6. Click Advanced

Select Users or Groups	? ×
<u>S</u> elect this object type:	
Users, Groups, or Built-in security principals	oject Types
From this location:	
SHAUN-PC	_ocations
Common Queries	
Name: Starts with 💌	Columns
Description: Starts with 💌	Find Now
Disabled accounts	Stop
Non expiring password	
Days since last logon:	~
Search res <u>u</u> lts: OK	Cancel
Name (RDN) In Folder	

7. Click Find Now

Select Users or Gro	oups			? x
Select this object ty	/pe:			
Users, Groups, or I	Built-in security princip	als	Object Ty	/pes
From this location:				
SHAUN-PC			Location	ns
Common Queries				
N <u>a</u> me:	Starts with 🔻			<u>C</u> olumns
Description:	Starts with 🔻			Find <u>N</u> ow
Disa <u>b</u> led acc	counts			Stop
Non expiring	password			
Days since last	logon: 💌			9 7
Search res <u>u</u> lts:			ОК	Cancel
Name (RDN)	In Folder			•
A Guests	SHAUN-PC			
A IIS_IUSRS	SHAUN-PC			
LOCAL SERV				
ANETWORK				E
RNETWORK S				
OWNER RIG				
Reformance				
Performance	SHAUN-PC			-

- 8. Locate IUSER in the list and click OK twice.
- 9. Click on the IUSR account and ensure Read and Write are ticked in the bottom box.

Permissions for database		X		
Security				
Object name: C:\inetpub\www	root\shopping\data	abase		
<u>G</u> roup or user names:				
& SYSTEM				
& IUSR				
Shaun-PC\Users)		=		
IIS_IUSRS (Shaun-PC\IIS_I)	USRS)			
StrustedInstaller		T		
· · · · · · · · · · · · · · · · · · ·		• • •		
	A <u>d</u> d	<u>R</u> emove		
Permissions for IUSR	Allow	Deny		
Read & execute	\checkmark	· ·		
List folder contents	V			
Read	1			
Write	1			
Special permissions		-		
Leam about access control and permissions				
ОК	Cancel	Apply		


- 10. Click OK twice.
- 11. Repeat the process for the 'images' folder.

4.5 Enabling 32 bit mode on 64 bit computers

This section only applies if you are hosting your website on your local machine, if you are using a remote host please go to section **4.6**.

If your computer is a 64 bit machine, you will need to enable 32 bit mode for VP-ASP to work.

To find out if your machine is 64 bit or 32 bit, go to My Computer, Right Click on any empty space and click Properties.



You will then see a screen similar to the one below.

A ST AND ADDRESS	Last Add		
Control Panel +	All Control Panel Items	n 🚽 🐓 Search Control Panel 🔎	
Control Panel Home	View basic information	about your computer	
🛞 Device Manager	Windows edition		
🚱 Remote settings	Windows 7 Home Premium		
🚱 System protection	Copyright © 2009 Microsoft Corporation. All rights reserved.		
Advanced system settings	Service Pack 1 Get more features with a new edition of Windows 7		
	System		
	Manufacturer:	Acer	
	Model:	Aspire 5742Z	
	Rating:	3.8 Windows Experience Index	
	Processor:	Intel(R) Pentium(R) CPU P6100 @ 2.00GHz 2.00 GHz	
	Installed memory (RAM):	3.00 GB (2.74 GB usable)	
See also	System type:	64-bit Operating System	
Action Center	Pen and Touch:	No Pen or Touch Input is available for this Display	
Windows Update	Acer support		
Performance Information and Tools	Website:	Online support	
	Computer name, domain, and	l workgroup settings	

If your system is 64 bit, follow the below steps, if you have a 32 bit system go to step 4.6.

- a) Go to Control Panel and select 'Administrative Tools'
- b) From the list below, select 'IIS Manager'

🖉 🖓 🕫 Control Panel 🕨 All Control Panel Items 🕨 Administrative Tools 🔹 🗸 Search Administrative Tools 🖉					
Organize 👻 🔳 Or	pen	Burn			= 0
🚖 Favorites		Name	Date modified	Туре	
🐌 Downloads		🔊 Component Services	14/07/2009 14:57	Shortcut	
📃 Recent Places		🛃 Computer Management	14/07/2009 14:54	Shortcut	
🧮 Desktop		📷 Data Sources (ODBC)	14/07/2009 14:53	Shortcut	
🝀 Dropbox		🛃 Event Viewer	14/07/2009 14:54	Shortcut	
		There is a service of the termination services (IIS) Manager	23/03/2012 13:20	Shortcut	1
ز Libraries		🔝 iSCSI Initiator	14/07/2009 14:54	Shortcut	
Documents		Performance Monitor	14/07/2009 14:53	Shortcut	
🌙 Music	Ξ	😹 Services	14/07/2009 14:54	Shortcut	
Pictures		🔝 System Configuration	14/07/2009 14:53	Shortcut	No preview available.
📑 Videos		🔊 Task Scheduler	14/07/2009 14:54	Shortcut	no preview available.
		륡 Windows Firewall with Advanced Security	14/07/2009 14:54	Shortcut	
輚 Homegroup		📷 Windows Memory Diagnostic	14/07/2009 14:53	Shortcut	
		😹 Windows PowerShell Modules	14/07/2009 15:32	Shortcut	
🖳 Computer					
🏭 Acer (C:)					
🔮 CD Drive (E:)					
🔮 CD Drive (F:)					
🔮 CD Drive (G:)					
🔮 CD Drive (H:)	-	•		•	
Internet Info	orm	ation Services (IIS) Manager Date modified: 23/ Size: 1.2		Date created: 23/03/	2012 13:20
V					

- c) In IIS Manager, select Application Pools.
- d) In the list of Application Pools, select the application pool you have configured for use with VP-ASP (Eg. DefaultAppPool)

GAZ-PC + Ap	,pileation 1 0013	_						
ile View Help	-							
annections A2-PC (Gaz-PC/Gaz) Application Pools Stres Default Web Site Default Web Site Bigs Captcha Captcha Captcha Config database Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Captcha Ca	Applicat This page lets you vie provide telokiton amo Filter: Name O Classic APET App O Classic APET App DefaultAppPool	w and man ong differen • @ Status Status Started	age the list of a t applications. Go → 🙀 Sho	pplication pools on w All Group by: Managed Pipel Classic Integrated	No Grouping	Applications	d with worker processes, contain one or more applications, and	Actions Constant Cons
is products products sylesheets upload Shopping 2 prosp	Features View	Content Vie	w					Online Help

- e) In the Actions pane (right hand column), select Advanced Settings under Edit Application Pool.
- f) Expand the General settings, set Enable 32-bit Applications to True, and click OK.

J.	.NET Framework Version Enable 32-Bit Applications	v2.0	
	Enable 32-Bit Applications		
	endore be bit Applications	True 🗸	
	Managed Pipeline Mode	True	
	Name	False	Ξ
	Queue Length	1000	1
	Start Automatically	True	
Ξ	CPU		
	Limit	0	
	Limit Action	NoAction	
	Limit Interval (minutes)	5	
	Processor Affinity Enabled	False	
	Processor Affinity Mask	4294967295	
Ξ	Process Model		
1	Identity	ApplicationPoolIdentity	
1	Idle Time-out (minutes)	20	
	Load User Profile	True	
	Maximum Worker Processes	1	
	Ping Enabled	True	Ŧ
En [er op	Ping Enabled able 32-Bit Applications nable32BitAppOnWin64] If set to perating system, the worker proc	-	

You can now close IIS manager and move onto the next step.

4.6 Test Database Permission

To ensure that all of your permissions have been set up correctly, follow the steps below:

- a) Open your web browser and run the diag_dbtest.asp page located in your shopping directory (e.g. <u>http://localhost/shopping/diag_dbtest.asp</u>).
- b) Click on the *Test shop*\$config Settings button.

Test Your Database Connection	
METHOD 1: Test using the settings in your shop\$config.asp file.	Test shopSconfig Settings

c) The following screen should appear.

Database Read	PASS!
Database Write	PASS!
Database Permissions	PASS!

NOTE: If you do not receive the screen above, you may need to alter your shop\$config.asp files (located in "config" folder and "admin/config" folder) to point to the correct database location or check your permissions.

d) Now click 'Back' in your browser and click on the *Test file read* button at the bottom.

Test Your Permissions (Access Database Only)	
Are your file permissions set up correctly so your database can be accessed correctly by VP-ASP? Click this button to check.	Test file read

e) The following screen should appear.

Reading c:linetpub/wwwroot/vpasp659deluxe/Slicense.txt	PASS!
Reading c:\inetpub\wwwroot\vpasp659deluxe\images\shim.gif	PASS!
Reading c:\inetpub\wwwroot\vpasp659deluxe\database\shopping650.mdb	PASS!

NOTE: If you do not receive the screen above, go through section 4.4 again and check that your database permissions are correct.

4.7 Test IIS Permissions

In order to test that your IIS settings on your database folder are correct (*Step 4.4*), attempt to browse to your database (e.g. <u>http://localhost/shopping/database</u>). **You should receive a "***The Page cannot be displayed***" error.** If you do not receive this error and your database starts to download, please review *section 4.12* above.

5 Securing your site

In order to ensure that your VP-ASP site is as secure as possible, we recommend following these security steps before you configure your site.

5.1 Remove all files starting with "diag"

Delete all files starting with "diag". These files include the following:

diag_dbtest.asp	diag_sessionlist.asp
diag_expirecookie.asp	

Also delete the file "diag_smstest.asp" located in the "admin" folder.

Remote Users: Please ensure that you have deleted all these files on both your local PC, and your remote server.

5.2 Credit Card Storage Settings

VP-ASP recommends that you do not store credit card numbers; it is your responsibility to ensure you adhere to PCI guidelines.

If you take credit card numbers into your system rather than using a Payment Gateway, we recommend that you delete the credit card number as soon as the order has been processed.

This can either be done manually, or the shopa_displayorders.asp page will delete credit card numbers automatically when the order is marked as processed.

5.3 Securing your Database

Note: this step is for Access users ONLY!

If your database is not in a secure location, with the correct setting, hackers may be able to

download through the web browser. To secure your database folder you will need to update your

IIS settings, and the NTFS properties on your database folder.

6 Setting your site live and accessing the admin pages

6.1 Accessing the Administration Pages

You are now ready to set up your e-commerce store! You can access all of the administration functions by visiting your admin page via http://localhost/shopping/

6.2 Setting your site live

Once your site is ready to go live, delete the default.htm. Once this page has been deleted, your site's home page will now be the default.asp page.

Remote Users: Please ensure that you have deleted the file default.htm on both your local PC, and your remote server.